



347 Congress Street, Boston, MA 02210





November 22, 2016

347 Congress Street, Boston, MA 02210





Existing



Proposed

347 Congress Street, Boston, MA 02210





existing windows


first mock up



second mock up



existing windows



Proposed floors B and 1




existing windows




Proposed floors 2 through 6






removed brick mold for color match

existing window brick mold



Proposed custom aluminum brick mold








310-320 Summer Street



354 Congress Street





310-320 Summer street (A Street Facade)



CONGRESS BOSTON, MASSACHUSETTS

PROJECT SPECIFICATIONS AND GENERAL NOTES:

INFILL TYPES:

- 1" CLEAR SOLARBAN 60 ANNEALED INSULATING GLASS UNITS, LOW E #3.
- 1" CLEAR SOLARBAN 60 TEMPERED INSULATING GLASS UNITS, LOW E #3. P1 1" INSULATED ALUMINUM PANEL

-INFILL TYPE 1, 2, P1 TO BE PER SUBMITTED SAMPLES

-GLASS TYPE 1, 2 MAKE-UP TO BE 14-16-16.

-PANEL TYPE P1 MAKE -UP TO BE .040" DARK BRONZE ALUMINUM SHEET, \$" HIGH DENSITY TEMPERED HARDBOARD, 2.0# DENSITY POLYSTYRENE OR ISOCYANURATE, # HIGH DENSITY TEMPERED HARDBOARD, .040" DARK BRONZE ALUMINUM SHEET.

-ALL FIXED AND DOUBLE HUNG WINDOWS TO BE FACTORY GLAZED BY WAUSAU.

WINDOWS:

-WAUSAU SERIES 3100 42" DEEP SIDE LOAD THERMAL DOUBLE HUNG. -WAUSAU SERIES 42501 44" DEEP THERMAL FIXED.

WINDOW HARDWARE AND ACCESSORIES:

-WAUSAU 842052 HEAD AND JAMB PANNING, FIELD TRIM TO SUIT. -WAUSAU 841087 SILL PANNING, FIELD TRIM TO SUIT -CAM ACTION SWEEP LOCKS WITH KEEPERS X SATIN WHITE BRONZE ALLOY .- ULTRALIFT BALANCES. -NO SCREENS

FINISHES:

-ALL EXPOSED SURFACES OF ALL WINDOW SASH, FRAMES, PANNING AND TRIM TO RECEIVE A DARK BRONZE ANODIZED FINISH.

-ALL CONCEALED ALUMINUM SURFACES TO BE MILL FINISH

GENERAL NOTES:

1) FIELD VERIFY ALL DIMENSIONS PRIOR TO FABRICATION, ARCHITECT PLEASE VERIFY INTENT IN TERMS OF DIMENSIONS, DIVISIONS, SET-BACK DIMENSIONS, ETC.

2) SHIM AND ANCHOR FRAMES 18-24" O.C. UNLESS INDICATED OTHERWISE HEREIN OR IN THE MANUFACTURER'S INSTALLATION INSTRUCTIONS.

3) LOCATE SETTING BLOCKS AT MODULE 1/4 POINTS, U.N.O.

4) LOCATE FASTENERS FOR BRAKE SHAPES, TRIM, ETC., 18-24" O.C., FASTENERS TO BE CONCEALED WHERE POSSIBLE.

5) ALL ANCHORS/FASTENERS TO BE ZINC OR CADMIUM PLATED STEEL. FASTENERS TO BE CONCEALED WHERE POSSIBLE.

6) ALL DIMENSIONS, DETAILS, DESIGN, ETC., CONTAINED HEREIN ARE SUBJECT TO APPROVAL AND FIELD VERIFICATION,

7) WOOD BLOCKING/METAL STUD FRAMING, PLYWOOD SHEATHING TO BE FURNISHED AND INSTALLED BY OTHERS.

8) STRUCTURE MUST BE CAPABLE OF WITHSTANDING ALL LOADS IMPOSED BY THE GLAZED WALL SYSTEMS, PERIMETER CONSTRUCTION MUST ALLOW FOR ADEQUATE ANCHORAGE OF GLAZED WALL SYSTEMS.

9) HANOVER GLASS COMPANY, INC. / DESIGN DRAFT ASSOCIATES, INC. ARE NOT RESPONSIBLE FOR ANY ERRORS MADE BY OTHER TRADES THROUGH THE USE OF THESE SHOP DRAWINGS.

10) INSTALL CONTINUOUS BOND BREAKER TAPE OR PLASTIC SHIMS BETWEEN DIS-SIMILAR METALS


11) GASKET COLOR TO BE BLACK, SEALANT COLOR TO BE SELECTED BY THE ARCHITECT FROM SUBMITTED STANDARD SEALANT COLOR OPTIONS.

DRAWING INDEX:


- TITLE SHEET, PROJECT SPECIFICATIONS, INDEX
- GROUND FLOOR PLAN FIRST FLOOR PLAN
- SECOND FLOOR PLAN
- THIRD FLOOR PLAN FOURTH FLOOR PLAN
- FIFTH FLOOR PLAN
- SIXTH FLOOR PLAN
- ELEVATIONS
- 10 ELEVATIONS ELEVATIONS 11
- 12 ELEVATIONS
- 13 ELEVATIONS 14 ELEVATIONS
- 15 DETAILS
- DETAILS 15,4
- DETAILS
- 18
- DETAILS DETAILS DETAILS




| KEY TO ABBREVIATIONS: | | | |
|---|---|--|--|
| D.O. FRM. HGT. WK. PT. OF DR. SIZE GLS. SIZE OPN'G. V.I.F. EQ. OPP. SIM. EL. OR ELI DLO CONC. CONT. TBD | | DCOR OP FRAME HE WORK POD DCOR SIZ GLASS SIZ OPENING VERIEY IN EQUAL OPPOSITE SIMILAR ELEVATION DAYLIGHT CONCRETE CONTINUOL TO BE DE | EIGHT INT ZE I FIELD OPENING EI IS |
| DESIGN I 10741 SOUTH FAIR CHICAGO, ILLINOIS | 5 60655-1720 | 775-881- 775-881- | TES, INC. 8860 - VOICE 8608 - PAX |
| CUSTOMER: HANO 55 CO FEMOR | (ER GLASS COMP) RPORATE PARK I LOKE, MA 02559 / | 2RIVE | |
| SCALE NTS. | APPROVED BY | | DRAMI BY: OL LIBRIZZ |
| DATE OB/282016 | | | HEVISED. |
| | , MASSACHUSETTS | , | |
| SUBLECT: TITLE SH | EET . | | DRAMING NUMBER |





| | | TES, INC. |
|---|---|---------------|
| | BO CONTRAILE PARE DRIVE PERSONNAL HA COSSI / 10-624-4242 AND BO COSSI - 1-9* AND BO C | |
| 1 | ROLECT. BAT COMMENS BOUTCH, MASSACHUSETTS UBJECT. BROIND FLOOR FLAN | 2 |
| | | |




| DESIGN I Iotat scotti fall chicago, sullion | RAFT A | 350CIA | TES, INC. |
|---|---------------|--------|-----------------------------|
| CLIENT: HANCATER SE CORPO FE-ENCIC | | NG. | |
| 3165 (BB88) | 1 | | SAMA ST. OL. LERGE REMED |
| PROJECT: 841 CO BOSTON | MARSACHURETTS |) | |
| SUBLECT: FIRST FL | LOOR FLAN | | 3 |
| | | | |









| DESIGN DRAFT ASSOCIAT CHARGOLING AGENETICS AND THE THE HAR CHARGOLING SCHEME THE HAR CLEMT: HARVER SLARS CONTRACT, NC. FEMERICS, NA CONTRACT, NO. MILLING SCHEMENTS PROJECT: ST CONTRACT, ST CONTRACT, ST CONTRACT, ST CONTRACT, ST CONTRACT, ST CONTRACT, ST CONTRACT, ST CONTRACT, ST CONTR | ES. INC. Maco - voice Maco - FAX | |
|--|--|--|
| SUBLECT: SECOND FLOOR FLAN | 4 | |




| DESIGN I Iotaa south and Chicago, LLNO | PELO AVENE | 710-001 | |
|--|---------------|---------|----------------------|
| CLIENT: HANOVER | | -4242 | |
| 60/LE 2/8* + 7-8* | ATTRACTO Sh | | SINARI DA GL. LIRIDO |
| 3155. climiters | | | 10,100 |
| PROJECT: BATI CO BOSTON | MASSACHUSETTS | | |
| SUBLECT: THIRD P | LOOR FLAN | | 5 |




| | 1 |
|---|--------------------------------------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| DESIGN DRAFT ASSOC DIAL SOUTH PARTIELD AVISUE CHCARG, LILLIONS SCIENCIST CLEART HARDING SLADE CONTANT, No. PERSON, HARDING ST. PERSON, HARDING ST. SALE SEY - PATTERNAME ST. | ATES. INC. |
| CHICAGO, LLINOIS COSSI-IT20 TI | -861-8609 - YOICE -861-8608 - PAX |
| TO STATE AND | 12 I |
| SCALE SO" = F-g" | INVESTIGATION |
| | PROVIDEN. |
| | |
| PROJECT BAT COMPRESS SCOTCH, MASSACHMETTS | |
| BUBLECT: FOURTH FLOOR FLAN | |




| CLISHT: HARO/DE GLASS CONTANT, NS. DECONTANT, NS. | | | | |
|---|---------------|-------------|-------------------------------------|--|
| CLISHT: HARO/DE GLASS CONTANT, NS. DECONTANT, NS. | | | | |
| CLISHT: HARO/DE GLASS CONTANT, NS. DECONTANT, NS. | | | | |
| CLISHT: HARO/DE GLASS CONTANT, NS. DECONTANT, NS. | | | | |
| CLISHT: HARO/DE GLASS CONTANT, NS. DECONTANT, NS. | | | | |
| CLISHT: HARO/DE GLASS CONTANT, NS. DECONTANT, NS. | | | | |
| CLISHT: HARO/DE GLASS CONTANT, NS. DECONTANT, NS. | | | | |
| CLISHT: HARO/DE GLASS CONTANT, NS. DECONTANT, NS. | | | | |
| CLISHT: HARO/DE GLASS CONTANT, NS. DECONTANT, NS. | | | | |
| CLISHT: HARO/DE GLASS CONTANT, NS. DECONTANT, NS. | | | | |
| CLISHT: HARO/DE GLASS CONTANT, NS. DECONTANT, NS. | | | | |
| FILO.ECT. BAT CONNERSE BOSTON, MASSACHUSETTS | CLIENT: HANCY | | 5, INC. 100 - VOICE 108 - PAX | |
| | | ATTROVED SN | | |





| DESIGN DRAFT ASSOCIA | TES. INC. | |
|--|------------------------------|--|
| DESIGN DRAFT ASSOCIA LOTAL SUM HARVED AVENUE THE ASS CHEMON LINCIS SCIENCE TO THE ASS CHEMON HARVES CARE CONTANT, INC. POSITION HARVES CONTANT, INC. POSITION HARVES CARE | -8660 - VOICE -8608 - PAX | |
| алла силоно эме. силоно РПС. <u>В.47 сонотере</u> ВОВТОН, МАЗБАСНИЕТТВ | STATE OF ALLERING | |
| SUBJECT: SUCH FLOOR FLAN | 8 | |
| | | |



| DESIGN I 10749 SOUTH FAIR CHICAGO, ILLINOIS | | <u>TES, INC.</u> N-8860 - VOICE N-8603 - FAX |
|---|--|--|
| 95 CORPO | <u>GLASS COMPANY, INC.</u> RATE PARK DRIVE E, MASSACHUSETTS 02854 / 78 | 1-829-4242 |
| SCALE 344" = 1"-0" | APPROVED BY | DRAMM BY, OL LINRIZZI |
| DATE 08/38/2016 | | REVINED: |
| PROJECT: <u>341 CO</u> BOSTON | NGRESS MASSACHUSETTS | |
| SUBJECT, WINDOW | ELEVATIONS | DRAVENS HUMBER |

