


UNIT 3 REAR WINDOW REPLACEMENT

- Setup flooring protection and dust barriers as needed around window to be replaced.
- Remove interior window trims and store onsite to be reinstalled (or replicated) later.
- Cover opened areas with plastic, remove protection setup, and clean the area. PAUSE the work until new window arrives
- Source and transport custom stationary window/skylight of approx. 53" x 71" size.
- Make sure permit is posted on the front of the building where visible from the sidewalk.
- Setup exterior access using lift and restrict access below work area (all floors below).
- Remove exterior trims of window to be replaced and dispose.
- Remove and dispose existing window using lift, maintaining secure tie-off at all times (4-person operation).
- Repair window frame to receive new window.
- Install new window and seal all potential water entry points.
- Install new flashing above window.
- Rebuild exterior finish.
- Replace rotted soffit and fascia board wooden sections.
- Remove and reinstall storm window on adjacent window to correct the level.
- Seal, prepare, and paint all exterior repaired areas with color to match the original.
- Rebuild interior finish to match existing.
- Seal, prepare, and paint all interior repaired areas with color to match the original.
- Remove protection setup and clean all work areas on interior and exterior.




EXISTING ESTATICARY WINDOW WITH EXTERIOR ROTTED FRAME





PROPOSED FIXED SKYLIGHT




Clad finishing options:





Line #	Item Number	Description	Quantity	U/M	Net Price	Net Extended
0001.00	SOVELUX	VELUX SPECIAL ORDER ITEM 26448090 ***** GSM CURB MOUNT FIXED SKYLIGHT GSM_9999_0099100B OCD = 72"X54" EXTEIROR NEUTRAL GREY INTERIOR WHITE PVC LAMINATED LOW E GLASS	1.00	EACH	2,996.87	2,996.87
				Merchandise...	2,996.87	
				Tax.....	187.30	
				Misc Charges...	0.00	
				Quote Total...	3,184.17	



With the following configuration:

Special Code	GSM_9999_0099100B
Mat type	GSM
Width	54.00 "
Height	72.00 "
Surface Interior	White PVC
Surface Exterior	Velux Neutral Grey
Pane	Special Glazing
Pane characteristic	SB LamHeatStr/TmpClry

