

**TABLE 1
SUMMARY OF
WATER TABLE ELEVATION MEASUREMENTS**

Lewis Chemical

Well ID	Date	Casing Elevation (feet)	Depth to Water (feet)	Depth to Product (feet)	Product Thickness (feet)	Petro Specific Gravity	Water Equivalent (feet)	Corrected Depth to Water (feet)	Corrected Water Elevation (feet)
ESM-01	04/06/06	99.36	13.10	ND					86.26
ESM-02	04/06/06	98.66	12.62	ND					86.04
ESM-03	04/06/06	92.50	7.10	ND					85.40
ESM-03B-D	04/06/06	92.71	7.59	ND					85.12
ESM-03B-S	04/06/06	92.72	7.85	ND					84.87
ESM-04	04/06/06	92.08	5.08	ND					87.00
ESM-05	04/06/06	91.82	7.17	ND					84.65
ESM-05B	04/06/06	92.75	8.18	ND					84.57
ESM-06	04/06/06	92.05	7.12	ND					84.93
ESM-07	04/06/06	98.36	13.40	ND					84.96
ESM-08	04/06/06	98.03	10.71	ND					87.32
ESM-08B	04/06/06	98.89	6.80	ND					92.09
ESM-09	04/06/06	92.28	7.35	ND					84.93
ESM-10	04/06/06	98.51	11.26	ND					87.25
ESM-11	04/06/06	95.48	13.37	ND					82.11
ESM-12	04/06/06	99.26	12.56	ND					86.70
ESM-13	04/06/06	98.44	11.08	ND					87.36
ESM-14	04/06/06	98.62	11.35	ND					87.27
ESM-15	04/06/06	92.07	7.62	ND					84.45
ESM-16	04/06/06		4.80	ND					
OW-01	04/06/06		5.13	ND					
PZ-01D	04/10/06	88.69	4.55	ND					84.14
PZ-01S	04/10/06	87.38	3.25	ND					84.13
PZ-02D	04/10/06	89.54	5.33	ND					84.21
PZ-02S	04/10/06	87.57	3.45	ND					84.12
PZ-03D	04/10/06	90.11	5.33	ND					84.78
PZ-03S	04/10/06	87.37	3.08	ND					84.29

Notes: NM - Not Measured NA - Not Applicable ND - Not Detected
The product thickness for trace amounts of product is <0.01 ft.

**TABLE 2.1
SUMMARY OF
SOIL ANALYTICAL RESULTS
VPH**

**Lewis Chemical
(All results in mg/kg)**

Sample ID	Date	Depth	C5-C8 Aliphatics	C9-C12 Aliphatics	C9-C10 Aromatics	Methyl tert-butyl ether	Benzene	Toluene	Ethybenzene	Xylenes	Naphthalene
ESM-11	07/13/05	10-12'	<1.0	<1.0	<1.0	<0.10	<0.10	<0.10	<0.10	<0.10	<0.52
ESM-13	07/13/05	12-14'	<27	110	150	<2.7	<2.7	15	82	147	<13
ESM-13	07/13/05	1-3'	17	6.2	<4.1	<0.41	<0.41	<0.41	<0.41	<0.41	<2.0
ESM-14	07/13/05	7-9'	4.9	4.4	3.6	<0.10	<0.10	1.7	4.1	7.1	<0.52
ESM-15	08/31/05	6-8'	190	91	97	<0.40	<0.40	38	4.5	15	<2.0
I-A-03-M	08/30/05	8-10'	5.4	<1.4	<1.4	<0.14	<0.14	0.67	0.27	<0.14	<0.72
I-B-05-D	08/30/05	19-20'	<1.0	<1.0	<1.0	<0.10	<0.10	<0.10	<0.10	<0.10	<0.50
TP-01B	06/01/05	9'	44	21	42	<0.14	<0.14	<0.14	0.55	2.89	<0.71
TP-02	06/01/05	6'	<1.1	<1.1	<1.1	<0.11	<0.11	<0.11	<0.11	<0.11	<0.55
TP-03	06/01/05	5.5'	4.4	<1.3	<1.3	<0.13	<0.13	<0.13	<0.13	<0.13	<0.67
TP-04	06/01/05	4'	81	7.9	<3.4	<0.34	<0.34	0.39	<0.34	0.48	<1.7
TP-06	06/01/05	2.5'	110	2.0	<1.3	<0.13	<0.13	<0.13	0.18	0.54	<0.67
TP-06RA	06/01/05	2.5'	120	<1.3	<1.3	<0.13	<0.13	<0.13	0.23	0.66	<0.67
Lower of S1-GW2 and S1-GW3			100	1000	100	100	30	300	500	300	40
UCL			5000	20000	5000	5000	9000	10000	10000	10000	10000

Notes: MCP Method 1 Standards are included for reference purposes only, site specific standards were developing using a Method 3 Risk Assessment

NA - Not Applicable

NS - Not Sampled

UCL-Upper Concentration Limit

TABLE 2.2
SUMMARY OF
SOIL ANALYTICAL RESULTS
EPH
(section 1)

Lewis Chemical

(All results in mg/kg)

Sample	Date	Depth	C9-C18 Aliphatics	C19-C36 Aliphatics	C11-C22 Aromatics	Acenaphthene	2- methylnaphthalene	Naphthalene	Phenanthrene	Benzo(g,h,i) perylene	Benzo(k) fluoranthene	Chrysene
ESM-11	07/13/05	10-12'	<32	<32	33	<0.53	<0.53	<0.53	1.0	0.71	0.64	1.1
ESM-13	07/13/05	12-14'	<39	90	78	<0.65	<0.65	<0.65	0.92	4.2	<0.65	2.3
ESM-13	07/13/05	1-3'	<34	56	88	<0.57	<0.57	<0.57	5.5	1.9	1.6	3.3
ESM-14	07/13/05	7-9'	<30	<30	<30	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
ESM-15	08/31/05	6-8'	56	120	98	<0.56	<0.56	<0.56	<0.56	<0.56	<0.56	<0.56
I-A-03-M	08/30/05	8-10'	<36	61	<36	<0.59	<0.59	<0.59	0.64	<0.59	<0.59	0.64
I-B-05-D	08/30/05	19-20'	<33	<33	<33	<0.55	<0.55	<0.55	<0.55	<0.55	<0.55	<0.55
TP-01B	06/01/05	9'	150	410	230	<0.55	<0.55	<0.55	3.6	2.7	3.4	3.4
TP-02	06/01/05	6'	<35	<35	<35	<0.59	<0.59	<0.59	<0.59	<0.59	<0.59	<0.59
TP-03	06/01/05	5.5'	<32	64	62	<0.54	<0.54	<0.54	2.7	1.2	1.3	1.9
TP-04	06/01/05	4'	78	280	320	1.1	0.66	<0.57	2.6	1.2	1.1	2.1
TP-06	06/01/05	2.5'	<34	86	110	<0.56	<0.56	<0.56	2.1	2.2	2.5	2.7

Lower of MCP S1-GW2 and S1-GW3	1000	3000	800	1000	500	40	100	1000	70	7
UCL	20000	10000	10000	10000	10000	10000	10000	10000	10000	400

Notes: MCP Method 1 Standards are included for reference purposes only, site specific standards were developing using a Method 3 Risk Assessment

NA - Not Applicable

NS - Not Sampled

UCL-Upper Concentration Limit

3/1/07 Lewis Chemical

Table 2.2 Page 1 of 1

Soil, EPH, section 1

**TABLE 2.2
SUMMARY OF
SOIL ANALYTICAL RESULTS
EPH
(section 2)**

Lewis Chemical

(All results in mg/kg)

Sample	Date	Depth	Acenaphthylene	Anthracene	Benzo(a) anthracene	Benzo(a) pyrene	Benzo(b) fluoranthene	Dibenzo(a,h) anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Pyrene
ESM-11	07/13/05	10-12'	<0.53	<0.53	0.99	0.94	0.93	<0.53	1.8	<0.53	0.55	1.7
ESM-13	07/13/05	12-14'	<0.65	<0.65	2.4	<0.65	0.81	<0.65	1.4	<0.65	<0.65	1.1
ESM-13	07/13/05	1-3'	<0.57	1.3	3.1	2.8	3.6	<0.57	6.8	<0.57	1.9	5.6
ESM-14	07/13/05	7-9'	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
ESM-15	08/31/05	6-8'	<0.56	<0.56	<0.56	<0.56	<0.56	<0.56	<0.56	<0.56	<0.56	<0.56
I-A-03-M	08/30/05	8-10'	<0.59	<0.59	<0.59	0.63	0.66	<0.59	1	<0.59	<0.59	0.91
I-B-05-D	08/30/05	19-20'	<0.55	<0.55	<0.55	<0.55	<0.55	<0.55	<0.55	<0.55	<0.55	<0.55
TP-01B	06/01/05	9'	<0.55	0.82	2.9	3.6	3.4	0.72	5.5	<0.55	2.5	4.8
TP-02	06/01/05	6'	<0.59	<0.59	<0.59	<0.59	<0.59	<0.59	<0.59	<0.59	<0.59	<0.59
TP-03	06/01/05	5.5'	<0.54	0.60	1.6	1.7	1.6	<0.54	3.6	<0.54	0.97	3.0
TP-04	06/01/05	4'	<0.57	<0.57	1.2	1.4	1.5	<0.57	2.2	<0.57	0.64	2.1
TP-06	06/01/05	2.5'	<0.56	<0.56	2.9	3.3	3.6	0.58	4.6	<0.56	2.5	3.8

Lower of MCP S1-GW and S1-GW3	100	1000	7	2	7	0.7	1000	1000	7	1000
UCL	10000	10000	3000	300	3000	300	10000	10000	3000	10000

Notes: MCP Method 1 Standards are included for reference purposed only, site specific standards were developing using a Method 3 Risk Assessment

NA - Not Applicable

NS - Not Sampled

UCL-Upper concentration limit

3/1/07 Lewis Chemical

Table 2.2 Page 1 of 1

Soil, EPH, section 2

**TABLE 2.3
SUMMARY OF
SOIL ANALYTICAL RESULTS
METALS**

Lewis Chemical

(All results in mg/kg)

Sample ID	Date	Depth	Arsenic	Barium	Cadmium	Chromium	Lead	Mercury	Selenium	Silver
ESM-01	06/13/02	16-18'	1.2	14.1	<0.11	7.8	2.2*	<0.016*N	<0.45	0.28B
ESM-01 DUP	06/13/02	16-18'	0.81B	13.5	<0.10	7.2	2.0*	<0.018*N	<0.42	0.27B
ESM-02	06/13/02	14-16'	2.5	26.1	0.19B	13.3	5.0*	0.072B*N	<0.55	0.49B
ESM-03	06/13/02	10-12'	3.4	30.9	0.26B	13.6	48.9*	0.15B*N	<0.44	0.51B
ESM-04	06/13/02	10-12'	1.7	19.8	<0.11	15.0	22.6*	<0.016*N	<0.43	0.72B
ESM-05	06/12/02	13-15'	2.1	15.0	<0.11	8.5	22.3*	0.029B*N	<0.46	0.61B
ESM-06	06/12/02	11-13'	2.7	18.9	<0.11	10	3.2*	<0.017*N	<0.42	0.86B
ESM-07	06/12/02	10-12'	1.2	12.6	<0.11	6.5	4.0*	0.043B*N	<0.45	0.30B
ESM-08	06/12/02	12-14'	3.9	60.9	0.23B	27.3	82.1*	0.35*N	<0.53	0.98B
ESM-09	06/14/02	14-15'	1.7	18.7	<0.11	7.8	6.0*	<0.017*N	<0.44	0.46B
ESM-10	06/14/02	12-13.5'	5.3	67.9	0.15B	27.6	223*	1.1*N	<0.51	0.80B
ESM-11	07/13/05	10-12'	2.1	69	<0.54	13	150	0.35	<11	<5.4
ESM-13	07/13/05	1-3'	2.2	64	<0.57	16	35	3	<11	<5.7
ESM-13	07/13/05	12-14'	2.3	62	<0.71	37	37	<0.045	<14	<7.1
ESM-14	07/13/05	7-9'	6.6	58	<0.53	16	420	0.16	<11	<5.3
ESM-15	08/31/05	0-2'	5.1	80	1.6	20	670	3.3	<11	<5.6
ESMB-02	08/31/05	0-5'					1600			
I-A-03-S	08/30/05	0-6"					950			
I-A-03-M	08/30/05	8-10'					590			
I-A-03-D	08/30/05	10-12'					34			
Lower of MCP S1-GW2 and S1-GW3			20	1000	2	30	300	20	400	100
UCL			200	10000	300	2000	3000	300	8000	2000

Notes: MCP Method 1 Standards are included for reference purposed only, site specific standards were developing using a Method 3 Risk Assessment

UCL-Upper Concentration Limit

"B" indicates a "trace" concentration below the reporting limit and equal to or above the detection limit.

*** indicates Relative Percent Difference for duplicate analyses is outside of the control limit.

"N" indicates the matrix spike recovery falls outside of the control limit.

Sample ID	Date	Depth	Arsenic	Barium	Cadmium	Chromium	Lead	Mercury	Selenium	Silver
I-A-08-S	08/30/05	0-6"					310			
I-A-08-M	08/30/05	12-14'					150			
I-B-05-S	08/30/05	0-6"					350			
I-B-05-M	08/30/05	14-16'					75			
I-B-05-D	08/30/05	19-20'					<11			
I-B-08-S	08/30/05	0-6"					340			
I-B-08-M	08/30/05	12-14'					<12			
I-B-08-M DUP	08/30/05	12-14'					<12			
I-B-08-D	08/30/05	19-20'					<11			
I-B-10-S	08/30/05	0-6"					210			
I-B-10-M	08/30/05	13-15'					<12			
I-B-10-D	08/30/05	18-20'					<11			
I-C-09-S	08/31/05	0-6"					510			
I-C-09-M	08/31/05	13-15'					<11			
I-C-09-D	08/31/05	15-17'					<11			
I-D-10-S	08/31/05	0-6"					440			
I-D-10-M	08/31/05	5-7'					<13			
I-D-10-D	08/31/05	12-14'					<13			
II-A-01-S	08/31/05	0-6"					150			
II-A-01-M	08/31/05	5-7'					<14			
II-A-01-D	08/31/05	14-15'					<11			
II-A-03-S	08/31/05	0-6"					30			
II-A-03-M	08/31/05	5-7'					<13			
II-A-03-D	08/31/05	14-15'					<11			
II-A-05-S	08/31/05	0-6"					420			
II-A-05-M	08/31/05	4-6'					<12			
Lower of MCP S1-GW2 and S1-GW3			20	1000	2	30	300	20	400	100
UCL			200	10000	300	2000	3000	300	8000	2000

Notes: MCP Method 1 Standards are included for reference purposed only, site specific standards were developing using a Method 3 Risk Assessment

UCL-Upper Concentration Limit

"B" indicates a "trace" concentration below the reporting limit and equal to or above the detection limit.

*** indicates Relative Percent Difference for duplicate analyses is outside of the control limit.

"N" indicates the matrix spike recovery falls outside of the control limit.

Sample ID	Date	Depth	Arsenic	Barium	Cadmium	Chromium	Lead	Mercury	Selenium	Silver
II-A-05-D	08/31/05	8-10.5'					<14			
II-A-07-S	08/31/05	0-6"					710			
II-A-07-M	08/31/05	5-7'					<12			
II-A-09-S	08/30/05	0-6"					150			
II-A-09-M	08/30/05	6-8'					<12			
II-A-09-D	08/30/05	13-14'					110			
II-A-11-S	08/30/05	0-6"					110			
II-A-11-M	08/30/05	9-10'					<13			
III-C-02-M	08/31/05	8.5-10'					140			
III-C-02-M DUP	08/31/05	8.5-10'					190			
III-C-02-D	08/31/05	13-14'					<12			
III-E-02-S	08/31/05	0-6"					120			
III-E-02-M	08/31/05	5-7'					<14			
III-E-02-D	08/31/05	17-19'					<12			
III-E-05-S	09/01/05	0-6"					420			
III-E-05-M	09/01/05	5-10'					260			
III-E-05-D	09/01/05	10-15'					<11			
III-F-03-S	09/01/05	0-6"					120			
III-F-03-M	09/01/05	5-7'					<14			
III-F-03-D	09/01/05	17-19'					<12			
TKFMDR	06/14/02		3.5	53.7	0.64	17.9	79.7*	0.28*N	<0.41	0.98B
TP-01B	06/01/05	9'					38			
TP-02	06/01/05	6'					76			
TP-03	06/01/05	5.5'					4800			
TP-04	06/01/05	4'					280			
TP-06	06/01/05	2.5'					540			
Lower of MCP S1-GW2 and S1-GW3			20	1000	2	30	300	20	400	100
UCL			200	10000	300	2000	3000	300	8000	2000

Notes: MCP Method 1 Standards are included for reference purposed only, site specific standards were developing using a Method 3 Risk Assessment

UCL-Upper Concentration Limit

"B" indicates a "trace" concentration below the reporting limit and equal to or above the detection limit.

*** indicates Relative Percent Difference for duplicate analyses is outside of the control limit.

"N" indicates the matrix spike recovery falls outside of the control limit.

TABLE 2.4
SUMMARY OF
SOIL ANALYTICAL RESULTS
PCBs

Lewis Chemical
(All results in mg/kg)

Sample ID	Date	Depth	Aroclor-1016	Aroclor-1221	Aroclor-1232	Aroclor-1242	Aroclor-1248	Aroclor-1254	Aroclor-1260	Aroclor-1262	Aroclor-1268	Total PCBs
ESM-01	06/13/02	16-18'	<0.039	<0.039	<0.039	<0.039	0.12	0.15P	<0.039	NS	NS	0.27
ESM-01 (DUP)	06/13/02	16-18'	<0.038	<0.038	<0.038	<0.038	0.12	0.16P	<0.038	NS	NS	0.28
ESM-02	06/13/02	14-16'	<0.049	<0.049	<0.049	<0.049	<0.049	<0.049	<0.049	NS	NS	BDL
ESM-03	06/13/02	10-12'	<0.04	<0.04	<0.04	<0.04	0.44	<0.04	<0.04	NS	NS	0.44
ESM-04	06/13/02	10-12'	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	<0.037	NS	NS	BDL
ESM-05	06/12/02	13-15'	<2	<2	<2	<2	25	<2	<2	NS	NS	25
ESM-06	06/12/02	11-13'	<0.19	<0.19	<0.19	<0.19	2.3	<0.19	<0.19	NS	NS	2.3
ESM-07	06/12/02	10-12'	<0.039	<0.039	<0.039	<0.039	0.078P	<0.039	<0.039	NS	NS	0.078
ESM-08	06/12/02	12-14'	<0.05	<0.05	<0.05	<0.05	0.46P	<0.05	<0.05	NS	NS	0.46
ESM-09	06/14/02	14-15'	<0.038	<0.038	<0.038	<0.038	<0.038	<0.038	<0.038	NS	NS	BDL
ESM-10	06/14/02	12-13.5'	<0.042	<0.042	<0.042	<0.042	<0.042	<0.042	<0.042	NS	NS	BDL
ESM-11	07/13/05	10-12'	<0.085	<0.085	<0.085	<0.085	<0.085	<0.085	<0.085	<0.085	<0.085	BDL
ESM-12	07/13/05	12-14'	<0.09	<0.09	0.18	<0.09	<0.09	<0.09	<0.09	<0.09	<0.09	0.18
ESM-13	07/13/05	1-3'	<0.093	<0.093	0.47	<0.093	<0.093	<0.093	<0.093	<0.093	<0.093	0.47
	07/13/05	12-14'	<0.11	<0.11	0.32	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	0.32
ESM-14	07/13/05	7-9'	<1.6	<1.6	9.9	<1.6	<1.6	<1.6	<1.6	<1.6	<1.6	9.9
ESM-15	08/31/05	13-15'	<0.088	<0.088	<0.088	<0.088	0.44	<0.088	<0.088	<0.088	<0.088	0.44
ESM-16	08/31/05	4-8'	<0.1	<0.1	<0.1	<0.1	0.38	<0.1	<0.1	<0.1	<0.1	0.38
I-A-03-S	08/30/05	0-6"	<0.19	<0.19	<0.19	<0.19	1.8	<0.19	<0.19	<0.19	<0.19	1.8

S1-GW2, and S1-GW3 for the sum of PCBs

Notes: MCP Method 1 Standards are included for reference purposes only, site specific standards were developing using a Method 3 Risk Assessment

NS - Not sampled. BDL - below detection limit.

e - concentration exceeded calibration range for analyte.

"P" flag is used for pesticide/PCB/herbicide compound when there is a greater than 40% difference for detected concentration between the two GC columns used for Primary and Confirmation analysis. The difference typically indicates an interference, causing one value to be unusually high. The lower of the two values is reported in the Analysis Report.

Sample ID	Date	Depth	Aroclor-1016	Aroclor-1221	Aroclor-1232	Aroclor-1242	Aroclor-1248	Aroclor-1254	Aroclor-1260	Aroclor-1262	Aroclor-1268	Total PCBs
I-A-03-M	08/30/05	8-10'	<0.19	<0.19	<0.19	<0.19	1.2	<0.19	<0.19	<0.19	<0.19	1.2
I-A-03-D	08/30/05	10-12'	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	BDL
I-B-05-S	08/30/05	0-6"	<17	<17	<17	<17	70	<17	<17	<17	<17	70
I-B-05-M	08/30/05	14-16'	<0.43	<0.43	<0.43	<0.43	2.3	<0.43	<0.43	<0.43	<0.43	2.3
I-B-05-D	08/30/05	19-20'	<0.086	<0.086	<0.086	<0.086	<0.086	<0.086	<0.086	<0.086	<0.086	BDL
I-B-08-S	08/30/05	0-6"	<0.43	<0.43	<0.43	<0.43	3.9	<0.43	<0.43	<0.43	<0.43	3.9
I-B-08-M	08/30/05	12-14'	<0.097	<0.097	<0.097	<0.097	<0.097	<0.097	<0.097	<0.097	<0.097	BDL
I-B-08-D	08/30/05	19-20'	<0.091	<0.091	<0.091	<0.091	<0.091	<0.091	<0.091	<0.091	<0.091	BDL
I-C-09-S	08/31/05	0-6"	<0.086	<0.086	<0.086	<0.086	0.38	<0.086	<0.086	<0.086	<0.086	0.38
I-C-09-M	08/31/05	13-15'	<0.087	<0.087	<0.087	<0.087	<0.087	<0.087	<0.087	<0.087	<0.087	BDL
I-C-09-D	08/31/05	15-17'	<0.086	<0.086	<0.086	<0.086	<0.086	<0.086	<0.086	<0.086	<0.086	BDL
II-A-01-S	08/31/05	0-6"	<2.2	<2.2	<2.2	<2.2	18	<2.2	<2.2	<2.2	<2.2	18
II-A-01-M	08/31/05	5-7'	<0.11	<0.11	<0.11	<0.11	0.35	<0.11	<0.11	<0.11	<0.11	0.35
II-A-03-S	08/31/05	0-6"	<0.83	<0.83	<0.83	<0.83	4.7	<0.83	<0.83	<0.83	<0.83	4.7
II-A-03-M	08/31/05	5-7'	<0.5	<0.5	<0.5	<0.5	1.7	<0.5	<0.5	<0.5	<0.5	1.7
II-A-05-M	08/31/05	4-6'	<0.099	<0.099	<0.099	<0.099	0.83	<0.099	<0.099	<0.099	<0.099	0.83
II-A-05-D	08/31/05	8-10.5'	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	BDL
II-A-07-S	08/31/05	0-6"	<0.46	<0.46	<0.46	<0.46	2.6	<0.46	<0.46	<0.46	<0.46	2.6
II-A-07-M	08/31/05	5-7'	<0.095	<0.095	<0.095	<0.095	<0.095	<0.095	<0.095	<0.095	<0.095	BDL
II-A-09-S	08/30/05	0-6"	<0.086	<0.086	<0.086	<0.086	0.98	<0.086	<0.086	<0.086	<0.086	0.98
II-A-09-M	08/30/05	6-8'	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	BDL
II-A-09-D	08/30/05	13-14'	<0.097	<0.097	<0.097	<0.097	<0.097	<0.097	<0.097	<0.097	<0.097	BDL
II-A-11-S	08/30/05	0-6"	<0.088	<0.088	<0.088	<0.088	0.28	<0.088	<0.088	<0.088	<0.088	0.28
II-A-11-M	08/30/05	9-10'	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	BDL
II-A-11-M2	08/30/05	14-15'	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	BDL
III-C-02-M	08/31/05	8.5-10'	<0.094	<0.094	<0.094	<0.094	<0.094	<0.094	<0.094	<0.094	<0.094	BDL

S1-GW2, and S1-GW3 for the sum of PCBs

Notes: MCP Method 1 Standards are included for reference purposes only, site specific standards were developing using a Method 3 Risk Assessment

NS - Not sampled. BDL - below detection limit.

e - concentration exceeded calibration range for analyte.

"P" flag is used for pesticide/PCB/herbicide compound when there is a greater than 40% difference for detected concentration between the two GC columns used for Primary and Confirmation analysis. The difference typically indicates an interference, causing one value to be unusually high. The lower of the two values is reported in the Analysis Report.

Sample ID	Date	Depth	Aroclor-1016	Aroclor-1221	Aroclor-1232	Aroclor-1242	Aroclor-1248	Aroclor-1254	Aroclor-1260	Aroclor-1262	Aroclor-1268	Total PCBs
III-C-02-D	08/31/05	13-14'	<0.099	<0.099	<0.099	<0.099	<0.099	<0.099	<0.099	<0.099	<0.099	BDL
III-E-02-S	08/31/05	0-6"	<0.83	<0.83	<0.83	<0.83	5.6	<0.83	<0.83	<0.83	<0.83	5.6
III-E-02-M	08/31/05	5-7'	<0.1	<0.1	<0.1	<0.1	0.12	<0.1	<0.1	<0.1	<0.1	0.12
III-E-02-D	08/31/05	17-19'	<0.088	<0.088	<0.088	<0.088	<0.088	<0.088	<0.088	<0.088	<0.088	BDL
III-F-03-S	09/01/05	0-6"	<0.44	<0.44	<0.44	<0.44	2.7	<0.44	<0.44	<0.44	<0.44	2.7
III-F-03-M	09/01/05	5-7'	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	BDL
III-F-03-D	09/01/05	17-19'	<0.091	<0.091	<0.091	<0.091	<0.091	<0.091	<0.091	<0.091	<0.091	BDL
TKFMDR	06/14/02		<3.6	<3.6	<3.6	<3.6	68	<3.6	<3.6	NS	NS	68
TP-01B	06/01/05	9'	<0.090	<0.090	<0.090	<0.090	1.4e	<0.090	<0.090	<0.090	<0.090	1.4e
TP-01B RA	06/01/05	9'	<0.180	<0.180	<0.180	<0.180	1.5	<0.180	<0.180	<0.180	<0.180	1.5e
TP-02	06/01/05	6'	<0.093	<0.093	<0.093	<0.093	<0.093	<0.093	<0.093	<0.093	<0.093	BDL
TP-03	06/01/05	5.5'	<0.084	<0.084	<0.084	<0.084	<0.084	<0.084	<0.084	<0.084	<0.084	BDL
TP-04	06/01/05	4'	<0.093	<0.093	<0.093	<0.093	4.4e	<0.093	<0.093	<0.093	<0.093	4.4e
TP-04 RA	06/01/05	4'	<0.046	<0.046	<0.046	<0.046	5.4e	<0.046	<0.046	<0.046	<0.046	5.4e
TP-06	06/01/05	2.5'	<0.095	<0.095	<0.095	<0.095	0.92e	<0.095	<0.095	<0.095	<0.095	0.92e
TP-06 RA	06/01/05	2.5'	<0.190	<0.190	<0.190	<0.190	0.99	<0.190	<0.190	<0.190	<0.190	0.99

S1-GW2, and S1-GW3 for the sum of PCBs

2

Notes: MCP Method 1 Standards are included for reference purposes only, site specific standards were developing using a Method 3 Risk Assessment

NS - Not sampled. BDL - below detection limit.

e - concentration exceeded calibration range for analyte.

"P" flag is used for pesticide/PCB/herbicide compound when there is a greater than 40% difference for detected concentration between the two GC columns used for Primary and Confirmation analysis. The difference typically indicates an interference, causing one value to be unusually high. The lower of the two values is reported in the Analysis Report.

**TABLE 2.5
SUMMARY OF
SOIL ANALYTICAL RESULTS
VOLATILES
(section 1)**

Lewis Chemical

(All results in mg/kg)

Sample ID	Date	Depth	Vinyl Chloride	1,1-Dichloroethane	Cis-1,2-Dichloroethene	1,1,1-Trichloroethane	1,2-Dichloroethane	Trichloroethene
ESM-01	06/13/02	16-18'	<0.550	0.300J	0.980	7.100	<0.550	5.200
ESM-01 DUP	06/13/02	16-18'	<0.810	0.470J	1.500	13.000	<0.810	9.300
ESM-02	06/13/02	14-16'	<0.140	<0.140	<0.140	<0.140	<0.140	<0.140
ESM-03	06/13/02	10-12'	1.200E	<0.005	<0.005	<0.005	<0.005	6.500E
ESM-03 DL	06/13/02	10-12'	<12.000	4.300DJ	11.000DJ	120.000D	<12.000	190.000D
ESM-04	06/13/02	10-12'	0.012	0.045	0.240E	0.010	0.006	0.009
ESM-04 DL	06/13/02	10-12'	<0.096	<0.096	0.058DJ	<0.096	<0.096	<0.096
ESM-05	06/12/02	13-15'	0.006	0.180	1.800E	<0.005	0.510E	3.900E
ESM-05 DL	06/12/02	13-15'	<0.600	<0.600	0.800D	8.900D	<0.600	14.000D
ESM-06	06/12/02	11-13'	0.006	0.055	1.300E	2.400E	0.009	2.400E
ESM-06 DL	06/12/02	11-13'	<0.091	<0.091	0.400D	1.100D	<0.091	2.100D
ESM-07	06/12/02	10-12'	<0.005	0.022	0.062	0.140	0.001J	0.061
ESM-08	06/12/02	12-14'	0.006J	0.300E	0.960E	0.065	0.360E	0.120
ESM-08 DL	06/12/02	12-14'	<1.400	<1.400	<1.400	<1.400	<1.400	<1.400
ESM-09	06/14/02	14-15'	<0.005	0.041	0.200E	0.240E	0.018	0.014
ESM-09 DL	06/14/02	14-15'	<0.096	<0.096	0.110D	0.210D	<0.096	<0.096
ESM-10	06/14/02	12-13.5'	<1.600	<1.600	0.550J	<1.600	<1.600	<1.600
ESM-11	07/13/05	10-12'	<0.58	<0.29	<0.29	<0.29	<0.29	0.48
ESM-12	07/13/05	12-14'	<0.53	<0.26	<0.26	<0.26	<0.26	<0.26
ESM-13	07/13/05	1-3'	<5.1	<2.5	<2.5	<2.5	<2.5	3.9
ESM-13	07/13/05	12-14'	<1.3	<0.64	3.4	<0.64	<0.64	<0.64
Lower of MCP S1-GW2 and S1-GW3			0.6	5	0.4	500	0.1	2
UCL			300	10000	5000	10000	6000	10000

Notes: MCP Method 1 Standards are included for reference purposes only, site specific standards were developing using a Method 3 Risk Assessment

UCL-Upper Concentration Limit

NA - Not Applicable

"J" indicates an estimated value due to a detection below the reporting limit or an estimated concentration for Tentatively Identified Compound.

"E" indicates that the compound concentration exceeded the Calibration Range.

"D" indicates that the compound concentration was obtained from a diluted analysis.

Sample ID	Date	Depth	Vinyl Chloride	1,1-Dichloroethane	Cis-1,2-Dichloroethene	1,1,1-Trichloroethane	1,2-Dichloroethane	Trichloroethene
ESM-14	07/13/05	7-9'	<1.2	<0.58	0.68	<0.58	<0.58	<0.58
ESM-14	07/13/05	15-17'	<0.68	<0.34	<0.34	<0.34	<0.34	<0.34
ESM-14 DUP	07/13/05		<0.79	<0.39	<0.39	<0.39	<0.39	<0.39
ESM-15	08/31/05	3-5'	<0.5	0.38	3.1	5.5	0.31	3
ESM-16	08/31/05	4-8'	<4.3	<2.1	<2.1	<2.1	<2.1	<2.1
ESMB-02	08/31/05	0-5'	<9.9	<5	5.4	12	<5	67
I-A-03-M	08/30/05	8-10'	<8.9	<4.5	<4.5	4.7	<4.5	10
I-B-05-S	08/30/05	0-6"	<0.62	<0.31	<0.31	<0.31	0.68	2.2
I-B-05-D	08/30/05	19-20'	0.012	0.022	<0.005	<0.005	<0.005	<0.005
I-B-05-D DUP	08/30/05	19-20'	<0.011	0.01	<0.005	<0.005	<0.005	<0.005
I-B-08-M	08/30/05	12-14'	<0.01	<0.005	<0.005	<0.005	<0.005	0.006
II-A-01-S	08/31/05	0-6"	<0.68	<0.34	<0.34	0.8	<0.34	1.9
II-A-01-M	08/31/05	5-7'	<24	<12	20	85	<12	140
II-A-01-D	08/31/05	14-15'	<0.01	<0.005	<0.005	0.073	<0.005	0.067
II-A-03-S	08/31/05	0-6"	<0.53	<0.26	0.32	0.79	<0.26	1.8
II-A-03-M	08/31/05	5-7'	<520	<260	<260	3000	<260	1900
II-A-03-M DUP	08/31/05	5-7'	<280	<140	<140	2100	<140	1500
II-A-03-D	08/31/05	14-15'	<0.93	<0.47	<0.47	1.1	<0.47	<0.47
II-A-05-D	08/31/05	8-10.5'	<1.3	<0.65	<0.65	<0.65	<0.65	<0.65
II-A-07-D	08/31/05	12-13'	<0.01	0.014	<0.005	<0.005	<0.005	0.005
II-A-09-M	08/30/05	6-8'	<1.1	<0.55	0.58	<0.55	<0.55	<0.55
II-A-09-D	08/30/05	13-14'	<12	<6.1	47	44	<6.1	14
II-A-11-M	08/30/05	9-10'	<1.2	<0.59	1.3	0.96	<0.59	<0.59
II-A-11-M2	08/30/05	14-15'	<5.2	6.1	33	<2.6	<2.6	<2.6
II-A-11-D	08/30/05	18-20'	0.94	0.64	4.4	0.27	<0.26	<0.26
III-C-02-M	08/31/05	8.5-10'	<3.9	8.5	23	4.8	<1.9	19
III-E-02-M	08/31/05	5-7'	<0.67	<0.34	0.89	<0.34	<0.34	<0.34
III-F-03-S	09/01/05	0-6"	<0.61	<0.3	<0.3	0.79	<0.3	1
III-F-03-M	09/01/05	5-7'	<0.66	3.3	3.6	2.4	<0.33	<0.33
Lower of MCP S1-GW2 and S1-GW3			0.6	5	0.4	500	0.1	2
UCL			300	10000	5000	10000	6000	10000

Notes: MCP Method 1 Standards are included for reference purposes only, site specific standards were developing using a Method 3 Risk Assessment

UCL-Upper Concentration Limit

NA - Not Applicable

"J" indicates an estimated value due to a detection below the reporting limit or an estimated concentration for Tentatively Identified Compound.

"E" indicates that the compound concentration exceeded the Calibration Range.

"D" indicates that the compound concentration was obtained from a diluted analysis.

Sample ID	Date	Depth	Vinyl Chloride	1,1-Dichloroethane	Cis-1,2-Dichloroethene	1,1,1-Trichloroethane	1,2-Dichloroethane	Trichloroethene
III-F-03-D	09/01/05	17-19'	<0.011	<0.006	<0.006	<0.006	<0.006	<0.006
TKFMDR	06/14/02		<0.095	1.500	7.600E	0.960	<0.095	2.200
TKFMDR DL	06/14/02		<0.280	1.400D	7.200D	0.930D	1.800D	1.900
TP-01B	06/01/05	9'	<14	<6.8	<6.8	<6.8	<6.8	23
TP-02	06/01/05	6'	<0.01	<0.005	<0.005	<0.005	<0.005	0.021
TP-03	06/01/05	5.5'	<0.58	<0.29	0.59	<0.29	<0.29	1.5
TP-04	06/01/05	4'	<3.5	40	63	15	<1.8	39
TP-06	06/01/05	2.5'	<76	<38	<38	<38	<38	<38

Lower of MCP S1-GW2 and S1-GW3	0.6	5	0.4	500	0.1	2
UCL	300	10000	5000	10000	6000	10000

Notes: MCP Method 1 Standards are included for reference purposes only, site specific standards were developing using a Method 3 Risk Assessment

UCL-Upper Concentration Limit

NA - Not Applicable

"J" indicates an estimated value due to a detection below the reporting limit or an estimated concentration for Tentatively Identified Compound.

"E" indicates that the compound concentration exceeded the Calibration Range.

"D" indicates that the compound concentration was obtained from a diluted analysis.

**TABLE 2.5
SUMMARY OF
SOIL ANALYTICAL RESULTS
VOLATILES
(section 2)**

Lewis Chemical

(All results in mg/kg)

Sample ID	Date	Depth	Benzene	Toluene	Ethylbenzene	Xylenes	Naphthalene	1,2-Dichlorobenzene	Tetrachloroethene
ESM-01	06/13/02	16-18'	<0.550	0.850	0.190J	0.800	<0.550	1.700	13.000
ESM-01 DUP	06/13/02	16-18'	<0.810	1.500	0.310J	1.400	<0.810	2.600	22.000
ESM-02	06/13/02	14-16'	<0.140	1.100	1.000	3.800	<0.140	0.230	<0.140
ESM-03	06/13/02	10-12'	<0.005	7.500E	6.000E	10.000E	1.900E	5.400E	<0.005
ESM-03 DL	06/13/02	10-12'	<12.000	300.000	10.000DJ	43.000D	<12.000	16.000D	340.000D
ESM-04	06/13/02	10-12'	<0.005	0.031	0.053	0.090	0.003J	0.014	0.006
ESM-04 DL	06/13/02	10-12'	<0.096	0.053DJ	<0.096	<0.096	<0.096	<0.096	<0.096
ESM-05	06/12/02	13-15'	<0.005	1.200E	0.150	0.660E	0.064	<0.005	3.100E
ESM-05 DL	06/12/02	13-15'	<0.600	3.000D	<0.600	0.310DJ	<0.600	<0.600	7.500D
ESM-06	06/12/02	11-13'	<0.004	0.200E	0.073	0.220	0.011	0.270E	1.500E
ESM-06 DL	06/12/02	11-13'	<0.091	0.080DJ	0.028DJ	0.097D	<0.091	0.150D	0.770D
ESM-07	06/12/02	10-12'	<0.005	0.110	0.012	0.008	0.004J	<0.005	0.097
ESM-08	06/12/02	12-14'	<0.006	<0.006	6.400E	10.000E	0.150	0.100	1.700E
ESM-08 DL	06/12/02	12-14'	<1.400	5.400D	46.000D	83.000D	<1.400	<1.400	0.690DJ
ESM-09	06/14/02	14-15'	<0.005	0.069	0.003J	0.010	0.002J	<0.005	0.004J
ESM-09 DL	06/14/02	14-15'	<0.096	0.099D	<0.096	<0.096	<0.096	<0.096	<0.096
ESM-10	06/14/02	12-13.5'	<1.600	10.000	46.000	82.000	<1.600	<1.600	0.960J
ESM-11	07/13/05	10-12'	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29
ESM-12	07/13/05	12-14'	<0.26	<0.26	<0.26	<0.26	2.8	<0.26	<0.26
ESM-13	07/13/05	1-3'	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	53
ESM-13	07/13/05	12-14'	<0.64	4.1	20	37	0.89	<0.64	<0.64
Lower of MCP S1-GW2 and S1-GW3			30	300	500	300	40	30	10
UCL			9000	10000	10000	10000	10000	10000	10000

Notes: MCP Method 1 Standards are included for reference purposes only, site specific standards were developing using a Method 3 Risk Assessment

UCL-Upper Concentration Limit

NA - Not Applicable

"J" indicates an estimated value due to a detection below the reporting limit or an estimated concentration for Tentatively Identified Compound.

"E" indicates that the compound concentration exceeded the Calibration Range.

"D" indicates that the compound concentration was obtained from a diluted analysis.

Sample ID	Date	Depth	Benzene	Toluene	Ethylbenzene	Xylenes	Naphthalene	1,2-Dichlorobenzene	Tetrachloroethene
ESM-14	07/13/05	7-9'	<0.58	3.6	7.1	12.8	<0.58	<0.58	<0.58
ESM-14	07/13/05	15-17'	<0.34	2.4	0.88	1.1	<0.34	<0.34	<0.34
ESM-14 DUP	07/13/05		<0.39	2.4	0.82	1	<0.39	<0.39	<0.39
ESM-15	08/31/05	3-5'	<0.25	1.2	<0.25	0.49	<0.25	<0.25	2.1
ESM-16	08/31/05	4-8'	<2.1	36	9.5	35.9	<2.1	5.5	<2.1
ESMB-02	08/31/05	0-5'	<5	<5	<5	<5	<5	<5	56
I-A-03-M	08/30/05	8-10'	<4.5	<4.5	<4.5	<4.5	<4.5	<4.5	31
I-B-05-S	08/30/05	0-6"	<0.31	0.33	<0.31	<0.31	<0.31	<0.31	0.59
I-B-05-D	08/30/05	19-20'	<0.005	0.085	0.1	0.103	<0.005	<0.005	<0.005
I-B-05-D DUP	08/30/05	19-20'	<0.005	0.006	0.092	<0.005	<0.005	<0.005	<0.005
I-B-08-M	08/30/05	12-14'	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
II-A-01-S	08/31/05	0-6"	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	1.2
II-A-01-M	08/31/05	5-7'	<12	<12	<12	<12	<12	<12	<12
II-A-01-D	08/31/05	14-15'	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	0.016
II-A-03-S	08/31/05	0-6"	<0.26	0.29	<0.26	<0.26	<0.26	<0.26	1.7
II-A-03-M	08/31/05	5-7'	<260	680	<260	<260	<260	<260	1600
II-A-03-M DUP	08/31/05	5-7'	<140	580	<140	160	<140	<140	1600
II-A-03-D	08/31/05	14-15'	<0.47	<0.47	0.61	0.63	<0.47	<0.47	1.1
II-A-05-D	08/31/05	8-10.5'	<0.65	13	<0.65	1.3	<0.65	<0.65	<0.65
II-A-07-D	08/31/05	12-13'	<0.005	<0.005	0.007	0.009	<0.005	0.008	<0.005
II-A-09-M	08/30/05	6-8'	<0.55	1.6	4	14.3	1.1	1.9	<0.55
II-A-09-D	08/30/05	13-14'	<6.1	110	8	31.3	<6.1	19	26
II-A-11-M	08/30/05	9-10'	<0.59	<0.59	<0.59	0.78	2.2	1.7	<0.59
II-A-11-M2	08/30/05	14-15'	<2.6	12	<2.6	5.4	<2.6	<2.6	<2.6
II-A-11-D	08/30/05	18-20'	<0.26	1.5	<0.26	0.3	<0.26	<0.26	<0.26
III-C-02-M	08/31/05	8.5-10'	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	8
III-E-02-M	08/31/05	5-7'	<0.34	<0.34	0.4	1.34	<0.34	<0.34	<0.34
III-F-03-S	09/01/05	0-6"	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	0.91
III-F-03-M	09/01/05	5-7'	<0.33	5	2.7	8.5	<0.33	2.1	<0.33
III-F-03-D	09/01/05	17-19'	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006
Lower of MCP S1-GW2 and S1-GW3			30	300	500	300	40	30	10
UCL			9000	10000	10000	10000	10000	10000	10000

Notes: MCP Method 1 Standards are included for reference purposes only, site specific standards were developing using a Method 3 Risk Assessment

UCL-Upper Concentration Limit

NA - Not Applicable

"J" indicates an estimated value due to a detection below the reporting limit or an estimated concentration for Tentatively Identified Compound.

"E" indicates that the compound concentration exceeded the Calibration Range.

"D" indicates that the compound concentration was obtained from a diluted analysis.

Sample ID	Date	Depth	Benzene	Toluene	Ethylbenzene	Xylenes	Naphthalene	1,2-Dichlorobenzene	Tetrachloroethene
TKFMDR	06/14/02		<0.095	1.200	0.110	0.320	0.160	1.200	0.640
TKFMDR DL	06/14/02		<0.280	1.100D	0.100DJ	0.270DJ	0.190DJ	1.200D	0.600D
TP-01B	06/01/05	9'	<6.8	<6.8	<6.8	<6.8	<6.8	<6.8	73
TP-02	06/01/05	6'	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	0.011
TP-03	06/01/05	5.5'	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29	0.46
TP-04	06/01/05	4'	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	11
TP-06	06/01/05	2.5'	<38	<38	<38	<38	<38	<38	360

Lower of MCP S1-GW2 and S1-GW3	30	300	500	300	40	30	10
UCL	9000	10000	10000	10000	10000	10000	10000

Notes: MCP Method 1 Standards are included for reference purposes only, site specific standards were developing using a Method 3 Risk Assessment
UCL-Upper Concentration Limit
NA - Not Applicable
"J" indicates an estimated value due to a detection below the reporting limit or an estimated concentration for Tentatively Identified Compound.
"E" indicates that the compound concentration exceeded the Calibration Range.
"D" indicates that the compound concentration was obtained from a diluted analysis.

TABLE 2.5
SUMMARY OF
SOIL ANALYTICAL RESULTS
VOLATILES
(section 3)

Lewis Chemical

(All results in mg/kg)

Sample ID	Date	Depth	1,3,5-Trimethylbenzene	1,2,4-Trimethylbenzene	sec-Butylbenzene	4-Isopropyltoluene	n-Butylbenzene	n-Propylbenzene	Chloroethane
ESM-01	06/13/02	16-18'	<0.550	0.340J	<0.550	0.300J	<0.550	0.200J	<0.550
ESM-01 DUP	06/13/02	16-18'	<0.810	0.500J	<0.810	0.540J	<0.810	<0.810	<0.810
ESM-02	06/13/02	14-16'	0.041J	0.140J	<0.140	<0.140	<0.140	<0.140	<0.140
ESM-03	06/13/02	10-12'	2.900E	4.100E	0.630E	2.700E	<0.005	2.700E	<0.005
ESM-03 DL	06/13/02	10-12'	2.600DJ	6.900DJ	<12.000	<12.000	<12.000	<12.000	<12.000
ESM-04	06/13/02	10-12'	<0.005	0.004J	<0.005	<0.005	<0.005	<0.005	<0.005
ESM-04 DL	06/13/02	10-12'	<0.096	<0.096	<0.096	<0.096	<0.096	<0.096	<0.096
ESM-05	06/12/02	13-15'	0.053	0.160	0.032	0.019	<0.005	0.026	<0.005
ESM-05 DL	06/12/02	13-15'	<0.600	<0.600	<0.600	<0.600	<0.600	<0.600	<0.600
ESM-06	06/12/02	11-13'	0.028	0.064	0.039	0.032	<0.004	0.013	0.004
ESM-06 DL	06/12/02	11-13'	<0.091	0.034DJ	<0.091	<0.091	<0.091	<0.091	<0.091
ESM-07	06/12/02	10-12'	<0.005	0.006	<0.005	<0.005	<0.005	<0.005	<0.005
ESM-08	06/12/02	12-14'	0.074	0.260E	0.010	2.700E	<0.006	0.026	<0.006
ESM-08 DL	06/12/02	12-14'	<1.400	<1.400	<1.400	3.300D	<1.400	<1.400	<1.400
ESM-09	06/14/02	14-15'	<0.005	0.003J	<0.005	<0.005	<0.005	<0.005	<0.005
ESM-09 DL	06/14/02	14-15'	<0.096	<0.096	<0.096	<0.096	<0.096	<0.096	<0.096
ESM-10	06/14/02	12-13.5'	<1.600	<1.600	<1.600	2.800	<1.600	<1.600	<1.600
ESM-11	07/13/05	10-12'	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29	<0.58
ESM-12	07/13/05	12-14'	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.53
ESM-13	07/13/05	1-3'	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5.1
Lower of MCP S1-GW2 and S1GW3			NA	NA	NA	NA	NA	NA	NA
UCL			NA	NA	NA	NA	NA	NA	NA

Notes: MCP Method 1 Standards are included for reference purposes only, site specific standards were developing using a Method 3 Risk Assessment

UCL-Upper Concentration Limit

NA - Not Applicable

"J" indicates an estimated value due to a detection below the reporting limit or an estimated concentration for Tentatively Identified Compound.

"E" indicates that the compound concentration exceeded the Calibration Range.

"D" indicates that the compound concentration was obtained from a diluted analysis.

Sample ID	Date	Depth	1,3,5-Trimethylbenzene	1,2,4-Trimethylbenzene	sec-Butylbenzene	4-Isopropyltoluene	n-Butylbenzene	n-Propylbenzene	Chloroethane
ESM-13	07/13/05	12-14'	<0.64	<0.64	0.83	9.4	<0.64	<0.64	<1.3
ESM-14	07/13/05	7-9'	<0.58	<0.58	<0.58	<0.58	<0.58	<0.58	<1.2
ESM-14	07/13/05	15-17'	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.68
ESM-14 DUP	07/13/05		<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.79
ESM-15	08/31/05	3-5'	<0.25	0.4	0.3	<0.25	1.9	<0.25	<0.5
ESM-16	08/31/05	4-8'	<2.1	3.7	<2.1	16	<2.1	<2.1	<4.3
ESMB-02	08/31/05	0-5'	<5	<5	<5	<5	<5	<5	<9.9
I-A-03-M	08/30/05	8-10'	<4.5	<4.5	<4.5	<4.5	<4.5	<4.5	<8.9
I-B-05-S	08/30/05	0-6"	0.42	0.41	<0.31	<0.31	<0.31	<0.31	<0.62
I-B-05-D	08/30/05	19-20'	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	0.037
I-B-05-D DUP	08/30/05	19-20'	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	0.021
I-B-08-M	08/30/05	12-14'	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.01
II-A-01-S	08/31/05	0-6"	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.68
II-A-01-M	08/31/05	5-7'	<12	<12	<12	<12	<12	<12	<24
II-A-01-D	08/31/05	14-15'	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.01
II-A-03-S	08/31/05	0-6"	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.53
II-A-03-M	08/31/05	5-7'	<260	<260	<260	<260	<260	<260	<520
II-A-03-M DUP	08/31/05	5-7'	<140	<140	<140	<140	<140	<140	<280
II-A-03-D	08/31/05	14-15'	0.65	1.2	2.4	<0.47	<0.47	<0.47	<0.93
II-A-05-D	08/31/05	8-10.5'	<0.65	<0.65	<0.65	<0.65	<0.65	<0.65	<1.3
II-A-07-D	08/31/05	12-13'	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.01
II-A-09-M	08/30/05	6-8'	0.68	1.3	<0.55	5	<0.55	<0.55	<1.1
II-A-09-D	08/30/05	13-14'	<6.1	<6.1	<6.1	<6.1	<6.1	<6.1	<12
II-A-11-M	08/30/05	9-10'	2	3.4	<0.59	<0.59	<0.59	0.73	<1.2
II-A-11-M2	08/30/05	14-15'	<2.6	<2.6	<2.6	<2.6	<2.6	<2.6	<5.2
II-A-11-D	08/30/05	18-20'	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26	<0.52
III-C-02-M	08/31/05	8.5-10'	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9	<3.9
III-E-02-M	08/31/05	5-7'	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34	<0.67
Lower of MCP S1-GW2 and S1GW3			NA	NA	NA	NA	NA	NA	NA
UCL			NA	NA	NA	NA	NA	NA	NA

Notes: MCP Method 1 Standards are included for reference purposes only, site specific standards were developing using a Method 3 Risk Assessment

UCL-Upper Concentration Limit

NA - Not Applicable

"J" indicates an estimated value due to a detection below the reporting limit or an estimated concentration for Tentatively Identified Compound.

"E" indicates that the compound concentration exceeded the Calibration Range.

"D" indicates that the compound concentration was obtained from a diluted analysis.

Sample ID	Date	Depth	1,3,5-Trimethylbenzene	1,2,4-Trimethylbenzene	sec-Butylbenzene	4-Isopropyltoluene	n-Butylbenzene	n-Propylbenzene	Chloroethane
III-F-03-S	09/01/05	0-6"	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.61
III-F-03-M	09/01/05	5-7'	0.37	0.65	<0.33	<0.33	0.35	<0.33	<0.66
III-F-03-D	09/01/05	17-19'	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006	<0.011
TKFMDR	06/14/02		0.150	0.250	<0.095	<0.095	<0.095	0.026J	<0.095
TKFMDR DL	06/14/02		0.150DJ	0.230DJ	<0.280	<0.280	0.130DJ	<0.280	<0.280
TP-01B	06/01/05	9'	<6.8	<6.8	<6.8	<6.8	<6.8	<6.8	<14
TP-02	06/01/05	6'	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.01
TP-03	06/01/05	5.5'	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29	<0.58
TP-04	06/01/05	4'	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8	<3.5
TP-06	06/01/05	2.5'	<38	<38	<38	<38	<38	<38	<76

Lower of MCP S1-GW2 and S1GW3	NA	NA	NA	NA	NA	NA	NA	NA	NA
UCL	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes: MCP Method 1 Standards are included for reference purposes only, site specific standards were developing using a Method 3 Risk Assessment

UCL-Upper Concentration Limit

NA - Not Applicable

"J" indicates an estimated value due to a detection below the reporting limit or an estimated concentration for Tentatively Identified Compound.

"E" indicates that the compound concentration exceeded the Calibration Range.

"D" indicates that the compound concentration was obtained from a diluted analysis.

**TABLE 2.5
SUMMARY OF
SOIL ANALYTICAL RESULTS
VOLATILES
(section 4)**

Lewis Chemical

(All results in mg/kg)

Sample ID	Date	Depth	Dichlorodifluoromethane	Trichlorofluoromethane	1,1-Dichloroethene	Acetone	Carbon Disulfide	Methylene Chloride
ESM-01	06/13/02	16-18'	<0.550	<0.550	0.830	<0.550	<0.550	0.840
ESM-01 DUP	06/13/02	16-18'	<0.810	<0.810	1.500	<0.810	<0.810	1.200
ESM-02	06/13/02	14-16'	<0.140	<0.140	<0.140	<0.140	<0.140	<0.140
ESM-03	06/13/02	10-12'	0.016	1.600E	3.600E	<0.005	<0.005	<0.005
ESM-03 DL	06/13/02	10-12'	<12.000	<12.000	14.000D	<12.000	<12.000	<12.000
ESM-04	06/13/02	10-12'	<0.005	<0.005	<0.005	<0.005	<0.005	0.019B
ESM-04 DL	06/13/02	10-12'	<0.096	<0.096	<0.096	<0.096	<0.096	0.140D
ESM-05	06/12/02	13-15'	<0.005	<0.005	3.200E	0.091	<0.005	0.280EB
ESM-05 DL	06/12/02	13-15'	<0.600	<0.600	1.100D	<0.600	<0.600	0.400DJ
ESM-06	06/12/02	11-13'	<0.004	<0.004	<0.004	0.056	<0.004	0.019B
ESM-06 DL	06/12/02	11-13'	<0.091	<0.091	0.130D	<0.091	<0.091	0.052DJ
ESM-07	06/12/02	10-12'	<0.005	<0.005	<0.005	0.061	0.004J	0.009B
ESM-08	06/12/02	12-14'	<0.006	<0.006	<0.006	<0.006	0.080	0.140B
ESM-08 DL	06/12/02	12-14'	<1.400	<1.400	<1.400	<1.400	<1.400	<1.400
ESM-09	06/14/02	14-15'	<0.005	<0.005	0.019	0.034	0.003J	0.030B
ESM-09 DL	06/14/02	14-15'	<0.096	<0.096	0.047DJ	<0.096	<0.096	0.150D
ESM-10	06/14/02	12-13.5'	<1.600	<1.600	<1.600	<1.600	<1.600	<1.600
ESM-11	07/13/05	10-12'	<0.58	<0.58	<0.29	<2.9	<2.9	<1.2
ESM-12	07/13/05	12-14'	<0.53	<0.53	<0.26	<2.6	<2.6	<1.1
ESM-13	07/13/05	1-3'	<5.1	<5.1	<2.5	<25	<25	<10
Lower of MCP S1-GW2 and S1GW3			NA	NA	40	60	NA	20
UCL			NA	NA	10000	10000	NA	10000

Notes: MCP Method 1 Standards are included for reference purposes only, site specific standards were developing using a Method 3 Risk Assessment

UCL-Upper Concentration Limit

NA - Not Applicable

"J" indicates an estimated value due to a detection below the reporting limit or an estimated concentration for Tentatively Identified Compound.

"E" indicates that the compound concentration exceeded the Calibration Range.

"D" indicates that the compound concentration was obtained from a diluted analysis.

Sample ID	Date	Depth	Dichlorodifluoromethane	Trichlorofluoromethane	1,1-Dichloroethene	Acetone	Carbon Disulfide	Methylene Chloride
ESM-13	07/13/05	12-14'	<1.3	<1.3	<0.64	<6.4	<6.4	<2.6
ESM-14	07/13/05	7-9'	<1.2	<1.2	<0.58	<5.8	<5.8	<2.3
ESM-14	07/13/05	15-17'	<0.68	<0.68	<0.34	<3.4	<3.4	<1.4
ESM-14 DUP	07/13/05		<0.79	<0.79	<0.39	<3.9	<3.9	<1.6
ESM-15	08/31/05	3-5'	<0.5	<0.5	<0.25	<2.5	<2.5	<1
ESM-16	08/31/05	4-8'	<4.3	<4.3	<2.1	<21	<21	<8.6
ESMB-02	08/31/05	0-5'	<9.9	<9.9	<5	<50	<50	<20
I-A-03-M	08/30/05	8-10'	<8.9	<8.9	<4.5	<45	<45	<18
I-B-05-S	08/30/05	0-6"	<0.62	<0.62	<0.31	<3.1	<3.1	<1.2
I-B-05-D	08/30/05	19-20'	<0.01	<0.01	<0.005	<0.2	<0.05	<0.05
I-B-05-D DUP	08/30/05	19-20'	<0.011	<0.011	<0.005	<0.21	<0.054	<0.054
I-B-08-M	08/30/05	12-14'	<0.01	<0.01	<0.005	<0.2	<0.051	<0.051
II-A-01-S	08/31/05	0-6"	<0.68	<0.68	<0.34	<3.4	<3.4	<1.4
II-A-01-M	08/31/05	5-7'	<24	<24	<12	<120	<120	<48
II-A-01-D	08/31/05	14-15'	<0.01	<0.01	<0.005	<0.21	<0.052	<0.052
II-A-03-S	08/31/05	0-6"	<0.53	<0.53	<0.26	<2.6	<2.6	<1.1
II-A-03-M	08/31/05	5-7'	<520	<520	<260	<2600	<2600	<1000
II-A-03-M DUP	08/31/05	5-7'	<280	<280	<140	<1400	<1400	<550
II-A-03-D	08/31/05	14-15'	<0.93	<0.93	<0.47	<4.7	<4.7	<1.9
II-A-05-D	08/31/05	8-10.5'	<1.3	<1.3	<0.65	<6.5	<6.5	<2.6
II-A-07-D	08/31/05	12-13'	<0.01	<0.01	<0.005	<0.2	<0.05	<0.05
II-A-09-M	08/30/05	6-8'	<1.1	<1.1	<0.55	<5.5	<5.5	<2.2
II-A-09-D	08/30/05	13-14'	<12	<12	<6.1	<61	<61	<24
II-A-11-M	08/30/05	9-10'	<1.2	<1.2	<0.59	<5.9	<5.9	<2.3
II-A-11-M2	08/30/05	14-15'	<5.2	<5.2	<2.6	<26	<26	<10
II-A-11-D	08/30/05	18-20'	<0.52	<0.52	<0.26	<2.6	<2.6	<1
III-C-02-M	08/31/05	8.5-10'	<3.9	<3.9	<1.9	<19	<19	<7.7
III-E-02-M	08/31/05	5-7'	<0.67	<0.67	<0.34	<3.4	<3.4	<1.3
Lower of MCP S1-GW2 and S1GW3			NA	NA	40	60	NA	20
UCL			NA	NA	10000	10000	NA	10000

Notes: MCP Method 1 Standards are included for reference purposes only, site specific standards were developing using a Method 3 Risk Assessment

UCL-Upper Concentration Limit

NA - Not Applicable

"J" indicates an estimated value due to a detection below the reporting limit or an estimated concentration for Tentatively Identified Compound.

"E" indicates that the compound concentration exceeded the Calibration Range.

"D" indicates that the compound concentration was obtained from a diluted analysis.

Sample ID	Date	Depth	Dichlorodifluoromethane	Trichlorofluoromethane	1,1-Dichloroethene	Acetone	Carbon Disulfide	Methylene Chloride
III-F-03-S	09/01/05	0-6"	<0.61	<0.61	<0.3	<3	<3	<1.2
III-F-03-M	09/01/05	5-7'	<0.66	<0.66	<0.33	<3.3	<3.3	<1.3
III-F-03-D	09/01/05	17-19'	<0.011	<0.011	<0.006	<0.22	<0.055	<0.055
TKFMDR	06/14/02		<0.095	<0.095	<0.095	<0.095	<0.095	4.100E
TKFMDR DL	06/14/02		<0.280	<0.280	<0.280	<0.280	<0.280	3.700D
TP-01B	06/01/05	9'	<14	<14	<6.8	<68	<68	<27
TP-02	06/01/05	6'	<0.01	<0.01	<0.005	<0.2	<0.5	<0.5
TP-03	06/01/05	5.5'	<0.58	<0.58	<0.29	<2.9	<2.9	<1.2
TP-04	06/01/05	4'	<3.5	<3.5	<1.8	<18	<18	<7.1
TP-06	06/01/05	2.5'	<76	<76	<38	<380	<380	<150

Lower of MCP S1-GW2 and S1GW3	NA	NA	40	60	NA	20
UCL	NA	NA	10000	10000	NA	10000

Notes: MCP Method 1 Standards are included for reference purposes only, site specific standards were developing using a Method 3 Risk Assessment

UCL-Upper Concentration Limit

NA - Not Applicable

"J" indicates an estimated value due to a detection below the reporting limit or an estimated concentration for Tentatively Identified Compound.

"E" indicates that the compound concentration exceeded the Calibration Range.

"D" indicates that the compound concentration was obtained from a diluted analysis.

3/1/07 Lewis Chemical

Table 2.5 Page 3 of 3

Soil, Volatiles, Section 4

**TABLE 2.5
SUMMARY OF
SOIL ANALYTICAL RESULTS
VOLATILES
(section 5)**

Lewis Chemical

(All results in mg/kg)

Sample ID	Date	Depth	1,1,2-Trichloroethane	Trans-1,2-Dichloroethene	Methyl tert-butyl ether	2- Butanone	4-Methyl-2-pentanone	Chlorobenzene
ESM-01	06/13/02	16-18'	<0.550	<0.550	<0.550	<0.550	<0.550	<0.550
ESM-01 DUP	06/13/02	16-18'	<0.810	<0.810	<0.810	<0.810	<0.810	<0.810
ESM-02	06/13/02	14-16'	<0.140	<0.140	<0.140	<0.140	<0.140	<0.140
ESM-03	06/13/02	10-12'	<0.005	<0.005	<0.005	<0.005	<0.005	0.230E
ESM-03 DL	06/13/02	10-12'	<12.000	<12.000	<12.000	<12.000	<12.000	<12.000
ESM-04	06/13/02	10-12'	<0.005	0.002J	0.002J	0.005	<0.005	<0.005
ESM-04 DL	06/13/02	10-12'	<0.096	<0.096	<0.096	0.120D	<0.096	<0.096
ESM-05	06/12/02	13-15'	0.041	<0.005	0.003J	<0.005	0.140	0.260E
ESM-05 DL	06/12/02	13-15'	<0.600	<0.600	<0.600	<0.600	<0.600	<0.600
ESM-06	06/12/02	11-13'	<0.004	0.002J	0.002J	<0.004	<0.004	0.005
ESM-06 DL	06/12/02	11-13'	<0.091	<0.091	<0.091	0.130D	<0.091	<0.091
ESM-07	06/12/02	10-12'	<0.005	0.003J	0.002J	0.021	<0.005	<0.005
ESM-08	06/12/02	12-14'	<0.006	0.030	<0.006	<0.006	<0.006	0.096
ESM-08 DL	06/12/02	12-14'	<1.400	<1.400	<1.400	<1.400	<1.400	<1.400
ESM-09	06/14/02	14-15'	<0.005	0.004J	0.002J	0.012	<0.005	<0.005
ESM-09 DL	06/14/02	14-15'	<0.096	<0.096	<0.096	0.170D	<0.096	<0.096
ESM-10	06/14/02	12-13.5'	<1.600	<1.600	<1.600	<1.600	<1.600	<1.600
ESM-11	07/13/05	10-12'	<0.29	<0.29	<0.29	<2.9	<2.9	<0.29
ESM-12	07/13/05	12-14'	<0.26	<0.26	<0.26	<2.6	<2.6	<0.26
ESM-13	07/13/05	1-3'	<2.5	<2.5	<2.5	<25	<25	<2.5
Lower of MCP S1-GW2 and S1GW3			2	1	100	50	50	3
UCL			2000	10000	5000	10000	10000	10000

Notes: MCP Method 1 Standards are included for reference purposes only, site specific standards were developing using a Method 3 Risk Assessment

UCL-Upper Concentration Limit

NA - Not Applicable

"J" indicates an estimated value due to a detection below the reporting limit or an estimated concentration for Tentatively Identified Compound.

"E" indicates that the compound concentration exceeded the Calibration Range.

"D" indicates that the compound concentration was obtained from a diluted analysis.

Sample ID	Date	Depth	1,1,2-Trichloroethane	Trans-1,2-Dichloroethene	Methyl tert-butyl ether	2- Butanone	4-Methyl-2-pentanone	Chlorobenzene
ESM-13	07/13/05	12-14'	<0.64	<0.64	<0.64	<6.4	<6.4	<0.64
ESM-14	07/13/05	7-9'	<0.58	<0.58	<0.58	<5.8	<5.8	<0.58
ESM-14	07/13/05	15-17'	<0.34	<0.34	<0.34	<3.4	<3.4	<0.34
ESM-14 DUP	07/13/05		<0.39	<0.39	<0.39	<3.9	<3.9	<0.39
ESM-15	08/31/05	3-5'	<0.25	<0.25	<0.25	<2.5	<2.5	<0.25
ESM-16	08/31/05	4-8'	<2.1	<2.1	<2.1	<21	<21	<2.1
ESMB-02	08/31/05	0-5'	<5	<5	<5	<50	<50	<5
I-A-03-M	08/30/05	8-10'	<4.5	<4.5	<4.5	<45	<45	<4.5
I-B-05-S	08/30/05	0-6"	<0.31	<0.31	<0.31	<3.1	<3.1	<0.31
I-B-05-D	08/30/05	19-20'	<0.005	<0.005	<0.005	<0.05	<0.05	<0.005
I-B-05-D DUP	08/30/05	19-20'	<0.005	<0.005	<0.005	<0.054	<0.054	<0.005
I-B-08-M	08/30/05	12-14'	<0.005	<0.005	<0.005	<0.051	<0.051	<0.005
II-A-01-S	08/31/05	0-6"	<0.34	<0.34	<0.34	<3.4	<3.4	<0.34
II-A-01-M	08/31/05	5-7'	<12	<12	<12	<120	<120	<12
II-A-01-D	08/31/05	14-15'	<0.005	<0.005	<0.005	<0.052	<0.052	<0.005
II-A-03-S	08/31/05	0-6"	<0.26	<0.26	<0.26	<2.6	<2.6	<0.26
II-A-03-M	08/31/05	5-7'	<260	<260	<260	<2600	<2600	<260
II-A-03-M DUP	08/31/05	5-7'	<140	<140	<140	<1400	<1400	<140
II-A-03-D	08/31/05	14-15'	<0.47	<0.47	<0.47	<4.7	<4.7	<0.47
II-A-05-D	08/31/05	8-10.5'	<0.65	<0.65	<0.65	<6.5	<6.5	<0.65
II-A-07-D	08/31/05	12-13'	<0.005	<0.005	<0.005	<0.05	<0.05	<0.005
II-A-09-M	08/30/05	6-8'	<0.55	<0.55	<0.55	<5.5	<5.5	<0.55
II-A-09-D	08/30/05	13-14'	<6.1	<6.1	<6.1	<61	<61	<6.1
II-A-11-M	08/30/05	9-10'	<0.59	<0.59	<0.59	<5.9	<5.9	<0.59
II-A-11-M2	08/30/05	14-15'	<2.6	<2.6	<2.6	<26	<26	<2.6
II-A-11-D	08/30/05	18-20'	<0.26	<0.26	<0.26	<2.6	<2.6	<0.26
III-C-02-M	08/31/05	8.5-10'	<1.9	<1.9	<1.9	<19	<19	<1.9
III-E-02-M	08/31/05	5-7'	<0.34	<0.34	<0.34	<3.4	<3.4	<0.34
Lower of MCP S1-GW2 and S1GW3			2	1	100	50	50	3
UCL			2000	10000	5000	10000	10000	10000

Notes: MCP Method 1 Standards are included for reference purposes only, site specific standards were developing using a Method 3 Risk Assessment

UCL-Upper Concentration Limit

NA - Not Applicable

"J" indicates an estimated value due to a detection below the reporting limit or an estimated concentration for Tentatively Identified Compound.

"E" indicates that the compound concentration exceeded the Calibration Range.

"D" indicates that the compound concentration was obtained from a diluted analysis.

Sample ID	Date	Depth	1,1,2-Trichloroethane	Trans-1,2-Dichloroethene	Methyl tert-butyl ether	2- Butanone	4-Methyl-2-pentanone	Chlorobenzene
III-F-03-S	09/01/05	0-6"	<0.3	<0.3	<0.3	<3	<3	<0.3
III-F-03-M	09/01/05	5-7'	<0.33	<0.33	<0.33	<3.3	<3.3	<0.33
III-F-03-D	09/01/05	17-19'	<0.006	<0.006	<0.006	<0.055	<0.055	<0.006
TKFMDR	06/14/02		<0.095	<0.095	<0.095	<0.095	<0.095	<0.095
TKFMDR DL	06/14/02		<0.280	<0.280	<0.280	<0.280	<0.280	<0.280
TP-01B	06/01/05	9'	<6.8	<6.8	<6.8	<68	<68	<6.8
TP-02	06/01/05	6'	<0.005	<0.005	<0.005	<0.05	<0.05	<0.005
TP-03	06/01/05	5.5'	<0.29	<0.29	<0.29	<2.9	<2.9	<0.29
TP-04	06/01/05	4'	<1.8	<1.8	<1.8	<18	<18	<1.8
TP-06	06/01/05	2.5'	<38	<38	<38	<380	<380	<38

Lower of MCP S1-GW2 and S1GW3	2	1	100	50	50	3
UCL	2000	10000	5000	10000	10000	10000

Notes: MCP Method 1 Standards are included for reference purposes only, site specific standards were developing using a Method 3 Risk Assessment

UCL-Upper Concentration Limit

NA - Not Applicable

"J" indicates an estimated value due to a detection below the reporting limit or an estimated concentration for Tentatively Identified Compound.

"E" indicates that the compound concentration exceeded the Calibration Range.

"D" indicates that the compound concentration was obtained from a diluted analysis.

3/1/07 Lewis Chemical

Table 2.5 Page 3 of 3

Soil, Volatiles, Section 5

TABLE 2.5
SUMMARY OF
SOIL ANALYTICAL RESULTS
VOLATILES
(section 6)

Lewis Chemical

(All results in mg/kg)

Sample ID	Date	Depth	Styrene	Bromoform	Isopropylbenzene	tert-Butylbenzene	1,4-Dichlorobenzene	1,2,4-Trichlorobenzene
ESM-01	06/13/02	16-18'	<0.550	<0.550	<0.550	<0.550	<0.550	<0.550
ESM-01 DUP	06/13/02	16-18'	<0.810	<0.810	<0.810	<0.810	<0.810	<0.810
ESM-02	06/13/02	14-16'	<0.140	<0.140	<0.140	<0.140	<0.140	<0.140
ESM-03	06/13/02	10-12'	0.120	<0.005	0.640E	0.160	1.200E	0.240E
ESM-03 DL	06/13/02	10-12'	<12.000	<12.000	<12.000	<12.000	<12.000	<12.000
ESM-04	06/13/02	10-12'	<0.005	0.006	<0.005	<0.005	<0.005	<0.005
ESM-04 DL	06/13/02	10-12'	<0.096	<0.096	<0.096	<0.096	<0.096	<0.096
ESM-05	06/12/02	13-15'	<0.005	<0.005	0.012	<0.005	<0.005	<0.005
ESM-05 DL	06/12/02	13-15'	<0.600	<0.600	<0.600	<0.600	<0.600	<0.600
ESM-06	06/12/02	11-13'	<0.004	<0.004	0.004	<0.004	0.013	0.006
ESM-06 DL	06/12/02	11-13'	<0.091	<0.091	<0.091	<0.091	<0.091	<0.091
ESM-07	06/12/02	10-12'	<0.005	0.004J	0.004J	<0.005	<0.005	<0.005
ESM-08	06/12/02	12-14'	<0.006	<0.006	0.017	<0.006	<0.006	<0.006
ESM-08 DL	06/12/02	12-14'	<1.400	<1.400	<1.400	<1.400	<1.400	<1.400
ESM-09	06/14/02	14-15'	<0.005	0.005	<0.005	<0.005	<0.005	<0.005
ESM-09 DL	06/14/02	14-15'	<0.096	<0.096	<0.096	<0.096	<0.096	<0.096
ESM-10	06/14/02	12-13.5'	<1.600	<1.600	<1.600	<1.600	<1.600	<1.600
ESM-11	07/13/05	10-12'	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29
ESM-12	07/13/05	12-14'	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26
ESM-13	07/13/05	1-3'	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
Lower of MCP S1-GW2 and S1GW3			4	1	NA	NA	4	70
UCL			10000	10000	NA	NA	10000	9000

Notes: MCP Method 1 Standards are included for reference purposes only, site specific standards were developing using a Method 3 Risk Assessment

UCL-Upper Concentration Limit

NA - Not Applicable

"J" indicates an estimated value due to a detection below the reporting limit or an estimated concentration for Tentatively Identified Compound.

"E" indicates that the compound concentration exceeded the Calibration Range.

"D" indicates that the compound concentration was obtained from a diluted analysis.

Sample ID	Date	Depth	Styrene	Bromoform	Isopropylbenzene	tert-Butylbenzene	1,4-Dichlorobenzene	1,2,4-Trichlorobenzene
ESM-13	07/13/05	12-14'	<0.64	<0.64	<0.64	<0.64	<0.64	<0.64
ESM-14	07/13/05	7-9'	<0.58	<0.58	<0.58	<0.58	<0.58	<0.58
ESM-14	07/13/05	15-17'	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34
ESM-14 DUP	07/13/05		<0.39	<0.39	<0.39	<0.39	<0.39	<0.39
ESM-15	08/31/05	3-5'	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
ESM-16	08/31/05	4-8'	<2.1	<2.1	<2.1	<2.1	<2.1	<2.1
ESMB-02	08/31/05	0-5'	<5	<5	<5	<5	<5	<5
I-A-03-M	08/30/05	8-10'	<4.5	<4.5	<4.5	<4.5	<4.5	<4.5
I-B-05-S	08/30/05	0-6"	<0.31	<0.31	<0.31	<0.31	<0.31	<0.31
I-B-05-D	08/30/05	19-20'	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
I-B-05-D DUP	08/30/05	19-20'	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
I-B-08-M	08/30/05	12-14'	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
II-A-01-S	08/31/05	0-6"	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34
II-A-01-M	08/31/05	5-7'	<12	<12	<12	<12	<12	<12
II-A-01-D	08/31/05	14-15'	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
II-A-03-S	08/31/05	0-6"	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26
II-A-03-M	08/31/05	5-7'	<260	<260	<260	<260	<260	<260
II-A-03-M DUP	08/31/05	5-7'	<140	<140	<140	<140	<140	<140
II-A-03-D	08/31/05	14-15'	<0.47	<0.47	<0.47	<0.47	<0.47	<0.47
II-A-05-D	08/31/05	8-10.5'	<0.65	<0.65	<0.65	<0.65	<0.65	<0.65
II-A-07-D	08/31/05	12-13'	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
II-A-09-M	08/30/05	6-8'	<0.55	<0.55	<0.55	<0.55	<0.55	<0.55
II-A-09-D	08/30/05	13-14'	<6.1	<6.1	<6.1	<6.1	<6.1	<6.1
II-A-11-M	08/30/05	9-10'	<0.59	<0.59	<0.59	<0.59	<0.59	<0.59
II-A-11-M2	08/30/05	14-15'	<2.6	<2.6	<2.6	<2.6	<2.6	<2.6
II-A-11-D	08/30/05	18-20'	<0.26	<0.26	<0.26	<0.26	<0.26	<0.26
III-C-02-M	08/31/05	8.5-10'	<1.9	<1.9	<1.9	<1.9	<1.9	<1.9
III-E-02-M	08/31/05	5-7'	<0.34	<0.34	<0.34	<0.34	<0.34	<0.34
Lower of MCP S1-GW2 and S1GW3			4	1	NA	NA	4	70
UCL			10000	10000	NA	NA	10000	9000

Notes: MCP Method 1 Standards are included for reference purposes only, site specific standards were developing using a Method 3 Risk Assessment

UCL-Upper Concentration Limit

NA - Not Applicable

"J" indicates an estimated value due to a detection below the reporting limit or an estimated concentration for Tentatively Identified Compound.

"E" indicates that the compound concentration exceeded the Calibration Range.

"D" indicates that the compound concentration was obtained from a diluted analysis.

Sample ID	Date	Depth	Styrene	Bromoform	Isopropylbenzene	tert-Butylbenzene	1,4-Dichlorobenzene	1,2,4-Trichlorobenzene
III-F-03-S	09/01/05	0-6"	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
III-F-03-M	09/01/05	5-7'	<0.33	<0.33	<0.33	<0.33	<0.33	<0.33
III-F-03-D	09/01/05	17-19'	<0.006	<0.006	<0.006	<0.006	<0.006	<0.006
TKFMDR	06/14/02		<0.095	<0.095	<0.095	<0.095	<0.095	<0.095
TKFMDR DL	06/14/02		<0.280	<0.280	<0.280	<0.280	0.120DJ	<0.280
TP-01B	06/01/05	9'	<6.8	<6.8	<6.8	<6.8	<6.8	<6.8
TP-02	06/01/05	6'	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
TP-03	06/01/05	5.5'	<0.29	<0.29	<0.29	<0.29	<0.29	<0.29
TP-04	06/01/05	4'	<1.8	<1.8	<1.8	<1.8	<1.8	<1.8
TP-06	06/01/05	2.5'	<38	<38	<38	<38	<38	<38

Lower of MCP S1-GW2 and S1GW3	4	1	NA	NA	4	70
UCL	10000	10000	NA	NA	10000	9000

Notes: MCP Method 1 Standards are included for reference purposes only, site specific standards were developing using a Method 3 Risk Assessment

UCL-Upper Concentration Limit

NA - Not Applicable

"J" indicates an estimated value due to a detection below the reporting limit or an estimated concentration for Tentatively Identified Compound.

"E" indicates that the compound concentration exceeded the Calibration Range.

"D" indicates that the compound concentration was obtained from a diluted analysis.

3/1/07 Lewis Chemical

Table 2.5 Page 3 of 3

Soil, Volatiles, Section 6

**TABLE 3.1
SUMMARY OF
GROUNDWATER ANALYTICAL RESULTS
VPH**

LEWIS CHEMICAL

(All results in ug/l)

Sample ID	Date	C5-C8 Aliphatics	C9-C12 Aliphatics	C9-C10 Aromatics	MTBE	Benzene	Toluene	E Benzene	Xylenes	Naphthalene
ESM-03	04/07/06	150000	<10000	<10000	<200	<100	40000	1600	6700	<500
ESM-08	04/06/06	340	<100	<100	<2	<1	<2	<2	<2	<5
ESM-08B	04/06/06	<100	<100	<100	<2	<1	<2	<2	<2	<5
ESM-11	04/07/06	NS	NS	NS	NS	NS	NS	NS	NS	NS
ESM-13	04/06/06	3600	<500	2100	<10	<5	370	1600	2590	<30
ESM-14	04/06/06	320	<100	<100	<2	<1	11	240	54	<5
ESM-14 (DUP)	04/06/06	360	<100	<100	<2	<1	14	290	65	<5

Lower of MCP Method GW-2 and GW-3	1000	1000	4000	50000	2000	4000	4000	500	1000
-----------------------------------	------	------	------	-------	------	------	------	-----	------

Notes: MCP Method 1 Standards are included for reference purposes only, site specific standards were developing using a Method 3 Risk Assessment

NS - Not Sampled

NA - Not Applicable

3/1/07 DND Lewis Chemical

Table 3.1 Page 1 of 1

Groundwater, VPH

TABLE 3.2
SUMMARY OF
GROUNDWATER ANALYTICAL RESULTS
EPH
(section 1)
LEWIS CHEMICAL
(All results in ug/l)

Sample ID	Date	C9-C18 Aliphatics	C19-C36 Aliphatics	C11-C22 Aromatics	Acenaphthene	2-methylnaphthalene	Naphthalene	Phenanthrene	Benzo(g,h,i) perylene	Benzo(k) fluoranthene	Chrysene
ESM-08	04/06/06	<300	<300	<300	<0.8	<0.8	<0.8	<0.8	<0.8	<0.8	<0.8
ESM-08B	04/06/06	<200	<200	<200	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
ESM-13	04/06/06	<200	<200	<200	<0.6	<0.6	3.3	<0.6	<0.6	<0.6	<0.6
ESM-14	04/06/06	<200	<200	<200	<0.5	<0.5	<0.5	<0.5	0.8	0.6	0.7

Lower of MCP GW-2 and GW-3	1000	50000	30000	5000	3000	1000	50	3000	100	3000
----------------------------	------	-------	-------	------	------	------	----	------	-----	------

Notes: MCP Method 1 Standards are included for reference purposes only, site specific standards were developing using a Method 3 Risk Assessment

NS - Not Sampled

NA - Not Applicable

3/1/07 DND Lewis Chemical

Table 3.2 Page 1 of 1

Groundwater, EPH, section 1

TABLE 3.2
SUMMARY OF
GROUNDWATER ANALYTICAL RESULTS
EPH
(section 2)

LEWIS CHEMICAL
(All results in ug/l)

Sample ID	Date	Acenaphthylene	Anthracene	Benzo(a) anthracene	Benzo(a) pyrene	Benzo(b) fluoranthene	Dibenzo(a,h) anthracene	Fluoranthene	Fluorene	Indeno(1,2,3- cd)pyrene	Pyrene
ESM-08	04/06/06	<0.8	<0.8	<0.8	0.5	1.0	<0.8	1.0	<0.8	<0.8	1.1
ESM-08B	04/06/06	<0.5	<0.5	<0.5	<0.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
ESM-13	04/06/06	<0.6	<0.6	<0.6	<0.2	<0.6	<0.6	<0.6	<0.6	<0.6	<0.6
ESM-14	04/06/06	<0.5	<0.5	0.7	0.9	1.2	<0.5	1.2	<0.5	0.7	1.1

Lower of MCP GW-2 and GW-3	3000	3000	1000	500	400	40	200	3000	100	20
----------------------------	------	------	------	-----	-----	----	-----	------	-----	----

Notes: MCP Method 1 Standards are included for reference purposes only, site specific standards were developing using a Method 3 Risk Assessment

NS - Not Sampled

NA - Not Applicable

3/1/07 DND Lewis Chemical

Table 3.2 Page 1 of 1

Groundwater, EPH, section 2

TABLE 3.3
SUMMARY OF
GROUNDWATER ANALYTICAL RESULTS
Metals

Lewis Chemical

(all results in ug/l)

Well	Date	Arsenic	Barium	Cadmium	Chromium	Lead	Mercury	Selenium	Silver
B1/0W1	06/25/02	<3.0	121B	<2.0	<3.0	4.4B	<0.14	<8.0	<2.0
ESM-01	06/25/02	3.9B	97.7B	<2.0	<3.0	<1.0	<0.13	<8.0	<2.0
ESM-02	06/25/02	<3.0	85.9B	<2.0	<3.0	<1.0	<0.13	<8.0	<2.0
ESM-03	04/07/06	<0.01	0.07	<0.005	<0.05	<0.01	<0.0009	<0.05	<0.007
	06/25/02	4.4B	189B	<2.0	<3.0	<1.0	<0.13	<8.0	<2.0
ESM-04	06/25/02	4.6B	260	<2.0	<3.0	<1.0	<0.13	<8.0	2.6B
ESM-05	04/10/06	<10	180	<5	<50	<10	<0.9	<50	<7
	06/25/02	9.7B	187B	<2.0	<3.0	<1.0	<0.13	<8.0	2.9B
ESM-05B	04/10/06	<10	220	<5	<50	<10	<0.9	<50	<7
ESM-06	06/25/02	7.8B	109B	<2.0	<3.0	<1.0	<0.13	<8.0	<2.0
ESM-07	06/25/02	<3.0	42.1B	<2.0	<3.0	1.5B	<0.12	<8.0	<2.0
ESM-08	06/25/02	3.2B	114B	<2.0	<3.0	3.0B	<0.14	<8.0	<2.0
ESM-09	06/25/02	4.2B	244	<2.0	<3.0	<1.0	<0.13	<8.0	2.5B
ESM-10	06/25/02	<3.0	79.4B	<2.0	<3.0	<1.0	<0.13	9.0B	<2.0
ESM-11	04/07/06	<0.01	0.2	<0.005	<0.05	<0.01	<0.0009	<0.05	<0.007
ESM-14	04/07/06	<0.01	0.06	<0.005	<0.05	<0.01	<0.0009	<0.05	<0.007
ESM-DUP	06/25/02	5.2B	259	<2.0	<3.0	<1.0	<0.12	<8.0	2.3B
Lower of MCP GW-2 and GW-3		900	50000	4	300	10	20	100	7

Notes: MCP Method 1 Standards are included for reference purposes only, site specific standards were developing using a Method 3 Risk Assessment

"B" indicates a "trace" concentration below the reporting limit and equal to or above the detection limit.

NS - Not Sampled

TABLE 3.4
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
PCBs

Lewis Chemical

(All results in ug/l)

Sample ID	Date	Aroclor-1016	Aroclor-1221	Aroclor-1232	Aroclor-1242	Aroclor-1248	Aroclor-1254	Aroclor-1260	Aroclor-1262	Aroclor-1268
ESM-01	04/07/06	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
ESM-02	04/06/06	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
ESM-03	04/07/06	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
ESM-03B-S	04/07/06	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
ESM-03B-D	04/07/06	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
ESM-04	04/10/06	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
ESM-05	04/10/06	<6	<6	<6	26	<6	<6	<6	<6	<6
ESM-05B	04/10/06	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
ESM-06	04/10/06	<0.3	<0.3	<0.3	3.5	<0.3	<0.3	<0.3	<0.3	<0.3
ESM-07	04/10/06	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
ESM-08	04/06/06	<0.5	<0.5	<0.5	0.8	<0.5	<0.5	<0.5	<0.5	<0.5
ESM-08B	04/06/06	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
ESM-09	04/10/06	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
ESM-10	04/10/06	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
ESM-11	04/06/06	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
ESM-12	04/06/06	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
ESM-13	04/06/06	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
ESM-14	04/06/06	<2	<2	<2	8	<2	<2	<2	<2	<2
ESM-15	04/10/06	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
ESM-16	04/07/06	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
PZ-02-S	04/10/06	<20	<20	<20	95	<20	<20	<20	<20	<20
PZ-02-D	04/10/06	<2	<2	<2	9	<2	<2	<2	<2	<2
PZ-03-S	04/10/06	<0.5	<0.5	<0.5	1.6	<0.5	<0.5	<0.5	<0.5	<0.5
PZ-03-D	04/10/06	<0.6	<0.6	<0.6	<0.6	<0.6	<0.6	<0.6	<0.6	<0.6

Lower of MCP GW-2 and GW-3 - Sum of PCBs 0.3

Notes: MCP Method 1 Standards are included for reference purposes only, site specific standards were developing using a Method 3 Risk Assessment
 NA - Not applicable.

TABLE 3.5
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
VOLATILES
(Section 1)

Lewis Chemical

(All results in ug/l)

Sample ID	Date	Benzene	Toluene	Tetrachloroethene	Ethylbenzene	Xylene (Total)	1,2,4-Trimethylbenzene	1,2-Dichlorobenzene
B1/0W1	06/25/02	<15	300	25	3J	7J	<15	<15
ESM-01	06/25/02	<400	560	770	<400	110J	<400	98J
	04/07/06	<2	8	21	9	7	<2	83
ESM-02	06/25/02	<10	110	4J	46	76	34	150
	04/06/06	<2	19	<2	18	16	34	98
ESM-03	06/25/02	<2500	55000	9100	1800J	7100	<2500	1300J
	04/07/06	<400	36000	4300	1200	5200	<400	850
ESM-03B-S	04/07/06	<40	420	6900	55	61	<40	140
ESM-03B-D	04/07/06	<400	2500	14000	<400	<400	<400	<400
ESM-04	06/25/02	<120	100J	<120	<120	<120	<120	<120
ESM-04 DUP	06/25/02	<100	79J	<100	<100	<100	<100	<100
ESM-04	04/10/06	<20	<20	<20	<20	<20	<20	<20
ESM-05	06/25/02	<10000	77000	17000	<10000	<10000	<10000	<10000
	04/10/06	<400	38000	21000	<400	610	<400	<400
ESM-05B	04/10/06	<20	430	2700	32	30	<20	93
ESM-06	06/25/02	<7500	2600J	18000	<7500	<7500	<7500	1600J
	04/10/06	<40	110	1600	<40	<40	<40	<40
ESM-07	06/25/02	<10	<10	73	<10	<10	<10	<10
	04/10/06	<2	<2	37	<2	<2	<2	<2
ESM-08	06/25/02	<80	580	90	2300	4200	<80	<80
	04/06/06	<2	<2	44	<2	<2	<2	<2
ESM-08B	04/06/06	<2	<2	6	<2	<2	<2	<2
ESM-09	06/25/02	<400	1800	<400	<400	110J	<400	<400
	04/10/06	<100	5900	<100	140	<100	<100	<100
ESM-09 DUP	04/10/06	<100	5800	<100	140	<100	<100	<100
ESM-10	06/25/02	<15	70	82	430	740	<15	<15
Lower of MCP GW-2 and GW-3		2000	4000	50	4000	500	NA	2000

Notes: MCP Method 1 Standards are included for reference purposes only, site specific standards were developing using a Method 3 Risk Assessment

"J" indicates an estimated value due to a detection below the reporting limit or an estimated concentration for Tentatively Identified Compound.

NA - Not applicable.

Sample ID	Date	Benzene	Toluene	Tetrachloroethene	Ethylbenzene	Xylene (Total)	1,2,4-Trimethylbenzene	1,2-Dichlorobenzene
ESM-10	04/10/06	<40	2100	180	11000	19300	<40	<40
ESM-11	04/06/06	<2	<2	<2	<2	<2	<2	<2
ESM-12	04/06/06	<2	<2	<2	<2	<2	<2	<2
ESM-13	04/06/06	<10	340	150	1700	2770	14	<10
ESM-14	04/06/06	<2	12	8	270	57	<2	<2
ESM-15	04/10/06	<100	9900	11000	460	1750	<100	<100
ESM-16	04/07/06	<2	110	2	41	116	15	3
PZ-01-S	04/10/06	<100	24000	<100	330	1230	<100	200
PZ-01-D	04/10/06	11	670	28	36	113	10	45
PZ-02-S	04/10/06	220	10000	240	350	1200	180	120
PZ-02-D	04/10/06	23	500	53	34	78	27	<20
PZ-03-S	04/10/06	<40	260	<40	<40	49	<40	260
PZ-03-D	04/10/06	<2	3	280	<2	<2	<2	63
PZ-04	11/15/06	<2	<2	<2	<2	<2	<2	<2
PZ-05	11/15/06	<2	<2	<2	<2	<2	<2	<2
PZ-06	11/15/06	<2	<2	<2	<2	<2	<2	<2
PZ-07	11/15/06	<2	<2	2	<2	<2	<2	<2

Lower of MCP GW-2 and GW-3	2000	4000	50	4000	500	NA	2000
----------------------------	------	------	----	------	-----	----	------

Notes: MCP Method 1 Standards are included for reference purposes only, site specific standards were developing using a Method 3 Risk Assessment

"J" indicates an estimated value due to a detection below the reporting limit or an estimated concentration for Tentatively Identified Compound.

NA - Not applicable.

3/1/07 Lewis Chemical

Table 3.5 (Section 1)

Page 2 of 2

TABLE 3.5
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
VOLATILES
(Section 2)

Lewis Chemical

(All results in ug/l)

Sample ID	Date	1,1-Dichloroethene	Methylene Chloride	1,1-Dichloroethane	Cis-1,2-Dichloroethene	1,1,1-Trichloroethane	1,2-Dichloroethane	Trichloroethene
B1/OW1	06/25/02	5J	<15	290	360	150	6J	150
ESM-01	06/25/02	230J	2300	2500	11000	5900	340J	3400
	04/07/06	<1	<5	110	13	18	3	16
ESM-02	06/25/02	15	<10	140	96	100	7J	13
	04/06/06	<1	<5	69	<2	4	<2	<2
ESM-03	06/25/02	2700	<2500	2900	60000	34000	<2500	33000
	04/07/06	310	<1000	1600	63000	25000	<400	9400
ESM-03B-S	04/07/06	1200	2900	230	92	7800	470	19000 D
ESM-03B-D	04/07/06	3000	12000	430	<400	23000	1600	57000
ESM-04	06/25/02	56J	<120	550	3000	680	28J	54J
ESM-04 DUP	06/25/02	75J	<100	530	2700	740	25J	52J
ESM-04	04/10/06	<10	<50	500	2700	900	<20	<20
ESM-05	06/25/02	15000	<10000	5500J	52000	210000	5500J	250000
	04/10/06	2800	1300	4900	110000	280000 D	1300	360000 D
ESM-05B	04/10/06	320	1200	180	62	6300	120	7100
ESM-06	06/25/02	14000	<7500	3600J	47000	160000	<7500	200000
	04/10/06	140	<100	280	8800	11000	<40	11000
ESM-07	06/25/02	5J	<10	54	260	140	<10	200
	04/10/06	<1	<5	58	110	63	<2	90
ESM-08	06/25/02	<80	330	69J	190	23J	130	82
	04/06/06	<1	<5	16	42	17	11	39
ESM-08B	04/06/06	<1	<5	<2	<2	2	<2	7
ESM-09	06/25/02	290J	89J	2000	6400	11000	200J	250J
Lower of MCP GW-2 and GW-3		80	NA	1000	100	4000	5	30

Notes: MCP Method 1 Standards are included for reference purposes only, site specific standards were developing using a Method 3 Risk Assessment

"J" indicates an estimated value due to a detection below the reporting limit or an estimated concentration for Tentatively Identified Compound.

"D" indicates that the compound concentration was obtained from a diluted analysis.

NA - Not applicable.

Sample ID	Date	1,1-Dichloroethene	Methylene Chloride	1,1-Dichloroethane	Cis-1,2-Dichloroethene	1,1,1-Trichloroethane	1,2-Dichloroethane	Trichloroethene
ESM-09	04/10/06	470	<300	3500	26000	35000	290	<100
ESM-09 DUP	04/10/06	480	<300	3400	25000	34000	290	<100
ESM-10	06/25/02	<15	14J	10J	63	14J	<15	61
	04/10/06	<20	410	91	610	<40	<40	120
ESM-11	04/06/06	<1	<5	2	<2	<2	<2	5
ESM-12	04/06/06	<1	<5	<2	<2	<2	<2	<2
ESM-13	04/06/06	<5	38	25	2200	14	20	57
ESM-14	04/06/06	<1	<5	42	15	<2	<2	8
ESM-15	04/10/06	920	2100	2600	27000	66000 D	2900	93000 D
ESM-16	04/07/06	<1	<5	14	3	3	<2	<2
PZ-01-S	04/10/06	92	<300	4000	24000	4700	100	200
PZ-01-D	04/10/06	11	<30	890	2400	990	57	33
PZ-02-S	04/10/06	740	5800	3200	48000	37000	3300	220
PZ-02-D	04/10/06	50	150	260	3300	1500	150	62
PZ-03-S	04/10/06	63	<100	2900	11000	1700	410	<40
PZ-03-D	04/10/06	5	<5	93	580	180	32	73
PZ-04	11/15/06	<1	<5	<2	<2	<2	<2	<2
PZ-05	11/15/06	<1	<5	<2	<2	<2	<2	<2
PZ-06	11/15/06	<1	<5	<2	<2	<2	<2	<2
PZ-07	11/15/06	<1	<5	10	15	<2	<2	11

Lower of MCP GW-2 and GW-3	80	NA	1000	100	4000	5	30
----------------------------	----	----	------	-----	------	---	----

Notes: MCP Method 1 Standards are included for reference purposes only, site specific standards were developing using a Method 3 Risk Assessment

"J" indicates an estimated value due to a detection below the reporting limit or an estimated concentration for Tentatively Identified Compound.

"D" indicates that the compound concentration was obtained from a diluted analysis.

NA - Not applicable.

TABLE 3.5
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
VOLATILES
(Section 3)

Lewis Chemical

(All results in ug/l)

Sample ID	Date	Chloroethane	Trichlorofluoromethane	Trans-1,2-Dichloroethene	4-Isopropyltoluene	1,1,2-Trichloroethane	Chlorobenzene	Bromoform	4-Isopropyltoluene
B1/OW1	06/25/02	190	<15	12J	<15	NS	<15	NS	<15
ESM-01	06/25/02	<400	<400	<400	81J	NS	<400	NS	81J
	04/07/06	54	<2	3	11	<2	<2	<2	11
ESM-02	06/25/02	<10	<10	3J	33	NS	<10	NS	33
	04/06/06	<2	<2	2	<2	<2	17	2	<2
ESM-03	06/25/02	<2500	<2500	<2500	<2500	NS	<2500	NS	<2500
	04/07/06	<400	<400	<400	<400	<400	<400	<400	<400
ESM-03B-S	04/07/06	<40	<40	<40	<40	<40	<40	<40	<40
ESM-03B-D	04/07/06	<400	<400	<400	<400	<400	<400	<400	<400
ESM-04	06/25/02	<120	<120	72J	<120	NS	<120	NS	<120
ESM-04 DUP	06/25/02	<100	<100	73J	<100	NS	<100	NS	<100
ESM-04	04/10/06	<20	<20	53	<20	<20	<20	<20	<20
ESM-05	06/25/02	<10000	<10000	<10000	<10000	NS	<10000	NS	<10000
	04/10/06	<400	<400	460	<400	<400	2300	<400	<400
ESM-05B	04/10/06	<20	<20	<20	<20	<20	<20	<20	<20
ESM-06	06/25/02	<7500	<7500	<7500	<7500	NS	<7500	NS	<7500
	04/10/06	<40	<40	43	<40	<40	<40	<40	<40
ESM-07	06/25/02	<10	<10	3J	<10	NS	<10	NS	<10
	04/10/06	<2	<2	3	<2	<2	<2	<2	<2
ESM-08	06/25/02	<80	<80	<80	37J	NS	<80	NS	37J
	04/06/06	<2	<2	<2	<2	<2	<2	<2	<2
ESM-08B	04/06/06	<2	<2	<2	<2	<2	<2	<2	<2
ESM-09	06/25/02	<400	<400	130J	<400	NS	<400	NS	<400
Lower of MCP GW-2 and GW-3	NA	NA	NA	NA	NA	900	200	700	NA

Notes: MCP Method 1 Standards are included for reference purposes only, site specific standards were developing using a Method 3 Risk Assessment

"J" indicates an estimated value due to a detection below the reporting limit or an estimated concentration for Tentatively Identified Compound.

NA - Not applicable.

NS - Not sampled.

Sample ID	Date	Chloroethane	Trichlorofluoromethane	Trans-1,2-Dichloroethene	4-Isopropyltoluene	1,1,2-Trichloroethane	Chlorobenzene	Bromoform	4-Isopropyltoluene
ESM-09	04/10/06	<100	<100	240	<100	<100	<100	<100	<100
ESM-09 DUP	04/10/06	<100	<100	230	<100	<100	<100	<100	<100
ESM-10	06/25/02	<15	<15	<15	25	NS	<15	NS	25
	04/10/06	<40	<40	<40	620	<40	<40	<40	620
ESM-11	04/06/06	<2	<2	<2	<2	<2	<2	<2	<2
ESM-12	04/06/06	<2	<2	<2	<2	<2	<2	<2	<2
ESM-13	04/06/06	<10	<10	<10	130	<10	<10	<10	130
ESM-14	04/06/06	<2	<2	<2	<2	<2	2	<2	<2
ESM-15	04/10/06	<100	<100	210	<100	130	<100	<100	<100
ESM-16	04/07/06	<2	<2	<2	110	<2	<2	<2	110
PZ-01-S	04/10/06	<100	<100	200	<100	<100	<100	<100	<100
PZ-01-D	04/10/06	<10	<10	20	<10	<10	<10	<10	<10
PZ-02-S	04/10/06	<100	200	240	<100	140	<100	<100	<100
PZ-02-D	04/10/06	<20	<20	<20	<20	<20	<20	<20	<20
PZ-03-S	04/10/06	<40	<40	120	<40	<40	<40	<40	<40
PZ-03-D	04/10/06	<2	<2	4	<2	<2	<2	<2	<2
PZ-04	11/15/06	<2	<2	<2	<2	<2	<2	<2	<2
PZ-05	11/15/06	<2	<2	<2	<2	<2	<2	<2	<2
PZ-06	11/15/06	<2	<2	<2	<2	<2	<2	<2	<2
PZ-07	11/15/06	<2	<2	<2	<2	<2	<2	<2	<2

Lower of MCP GW-2 and GW-3	NA	NA	NA	NA	900	200	700	NA
----------------------------	----	----	----	----	-----	-----	-----	----

Notes: MCP Method 1 Standards are included for reference purposes only, site specific standards were developing using a Method 3 Risk Assessment

"J" indicates an estimated value due to a detection below the reporting limit or an estimated concentration for Tentatively Identified Compound.

NA - Not applicable.

NS - Not sampled.

TABLE 3.5
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
VOLATILES
(Section 4)

Lewis Chemical

(All results in ug/l)

Sample ID	Date	Isopropylbenzene	1,2,3-Trichloropropane	n-Propylbenzene	1,3,5-Trimethylbenzene	Sec-Butylbenzene	4-Methyl-2-pentanone
B1/OW1	06/25/02	<15	NS	<15	<15	<15	<15
ESM-01	06/25/02	<400	NS	<400	<400	<400	<400
	04/07/06	<2	<2	<2	<2	<2	<10
ESM-02	06/25/02	2J	NS	4J	11	12	<10
	04/06/06	<2	5	<2	<2	12	<10
ESM-03	06/25/02	<2500	NS	<2500	<2500	<2500	<2500
	04/07/06	<400	<400	<400	<400	<400	<2000
ESM-03B-S	04/07/06	<40	<40	<40	<40	<40	<200
ESM-03B-D	04/07/06	<400	<400	<400	<400	<400	<2000
ESM-04	06/25/02	<120	NS	<120	<120	<120	<120
ESM-04 DUP	06/25/02	<100	NS	<100	<100	<100	<100
ESM-04	04/10/06	<20	<20	<20	<20	<20	<100
ESM-05	06/25/02	<10000	NS	<10000	<10000	<10000	<10000
	04/10/06	<400	<400	<400	<400	<400	<2000
ESM-05B	04/10/06	<20	<20	<20	<20	<20	<100
ESM-06	06/25/02	<7500	NS	<7500	<7500	<7500	<7500
	04/10/06	<40	<40	<40	<40	<40	<200
ESM-07	06/25/02	<10	NS	<10	<10	<10	<10
	04/10/06	<2	<2	<2	<2	<2	<10
ESM-08	06/25/02	<80	NS	<80	<80	<80	<80
	04/06/06	<2	<2	<2	<2	<2	<10
ESM-08B	04/06/06	<2	<2	<2	<2	<2	<10
ESM-09	06/25/02	<400	NS	<400	<400	<400	<400
	04/10/06	<100	<100	<100	<100	<100	<500
ESM-09 DUP	04/10/06	<100	<100	<100	<100	<100	<500
Lower of MCP GW2 and GW-3		NA	NA	NA	NA	NA	NA

Notes: MCP Method 1 Standards are included for reference purposes only, site specific standards were developing using a Method 3 Risk Assessment

NA - Not applicable.

3/1/07 DND Lewis Chemical

Table 3.5 (Section 4)

Page 1 of 2

Sample ID	Date	Isopropylbenzene	1,2,3-Trichloropropane	n-Propylbenzene	1,3,5-Trimethylbenzene	Sec-Butylbenzene	4-Methyl-2-pentanone
ESM-10	06/25/02	<15	NS	<15	<15	<15	<15
	04/10/06	<40	<40	<40	<40	<40	<200
ESM-11	04/06/06	<2	<2	<2	<2	<2	<10
ESM-12	04/06/06	<2	<2	<2	<2	<2	<10
ESM-13	04/06/06	<10	<10	<10	<10	15	<50
ESM-14	04/06/06	<2	<2	<2	<2	<2	<10
ESM-15	04/10/06	<100	<100	<100	<100	<100	<500
ESM-16	04/07/06	3	<2	2	7	<2	<10
PZ-01-S	04/10/06	<100	<100	<100	<100	<100	<500
PZ-01-D	04/10/06	<10	<10	<10	<10	<10	<50
PZ-02-S	04/10/06	<100	<100	<100	<100	<100	560
PZ-02-D	04/10/06	<20	<20	<20	<20	<20	<100
PZ-03-S	04/10/06	<40	<40	<40	<40	<40	<200
PZ-03-D	04/10/06	<2	<2	<2	<2	<2	<10
PZ-04	11/15/06	<2	<2	<2	<2	<2	<10
PZ-05	11/15/06	<2	<2	<2	<2	<2	<10
PZ-06	11/15/06	<2	<2	<2	<2	<2	<10
PZ-07	11/15/06	<2	<2	<2	<2	<2	<10

Lower of MCP GW2 and GW-3	NA	NA	NA	NA	NA	NA	NA
---------------------------	----	----	----	----	----	----	----

Notes: MCP Method 1 Standards are included for reference purposes only, site specific standards were developing using a Method 3 Risk Assessment

NA - Not applicable.

TABLE 3.5
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
VOLATILES
(Section 5)

Lewis Chemical
(All results in ug/l)

Sample ID	Date	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,2-Dichlorobenzene	1,2,4-Trichlorobenzene	MTBE	Naphthalene	Vinyl Chloride
B1/OW1	06/25/02	NS	<15	<15	<15	<15	<15	260
ESM-01	06/25/02	NS	<400	98J	<400	<400	<400	130J
	04/07/06	<2	<2	83	<2	<2	<5	22
ESM-02	06/25/02	NS	3J	150	21	<10	13	270
	04/06/06	11	6	98	14	<2	<5	<2
ESM-03	06/25/02	NS	<2500	1300J	<2500	<2500	<2500	<2500
	04/07/06	<400	<400	850	<400	<400	<1000	<400
ESM-03B-S	04/07/06	<40	<40	140	<40	<40	<100	<40
ESM-03B-D	04/07/06	<400	<400	<400	<400	<400	<1000	<400
ESM-04	06/25/02	NS	<120	<120	<120	<120	<120	340
ESM-04 DUP	06/25/02	NS	<100	<100	<100	<100	<100	330
ESM-04	04/10/06	<20	<20	<20	<20	<20	<50	25
ESM-05	06/25/02	NS	<10000	<10000	<10000	<10000	<10000	<10000
	04/10/06	<400	<400	<400	<400	<400	<1000	490
ESM-05B	04/10/06	<20	<20	93	<20	<20	<50	<20
ESM-06	06/25/02	NS	<7500	1600J	<7500	<7500	<7500	<7500
	04/10/06	<40	<40	<40	<40	<40	<100	<40
ESM-07	06/25/02	NS	<10	<10	<10	9J	<10	<10
	04/10/06	<2	<2	<2	<2	<2	<5	16
ESM-08	06/25/02	NS	<80	<80	<80	<80	<80	<80
	04/06/06	<2	<2	<2	<2	<2	<5	12
ESM-08B	04/06/06	<2	<2	<2	<2	<2	<5	<2
Lower of MCP GW-2 and GW-3		2000	200	2000	2000	50000	1000	2

Notes: MCP Method 1 Standards are included for reference purposes only, site specific standards were developing using a Method 3 Risk Assessment
"J" indicates an estimated value due to a detection below the reporting limit or an estimated concentration for Tentatively Identified Compound.
NA - Not applicable.
NS - Not sampled.

Sample ID	Date	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,2-Dichlorobenzene	1,2,4-Trichlorobenzene	MTBE	Naphthalene	Vinyl Chloride
ESM-09	06/25/02	NS	<400	<400	<400	<400	<400	280J
	04/10/06	<100	<100	<100	<100	<100	<300	1700
ESM-09 DUP	04/10/06	<100	<100	<100	<100	<100	<300	1600
ESM-10	06/25/02	NS	<15	<15	<15	<15	<15	<15
	04/10/06	<40	<40	<40	<40	<40	<100	120
ESM-11	04/06/06	<2	<2	<2	<2	<2	<5	<2
ESM-12	04/06/06	<2	<2	<2	<2	<2	<5	<2
ESM-13	04/06/06	<10	<10	<10	<10	<10	<30	61
ESM-14	04/06/06	<2	<2	<2	<2	<2	<5	20
ESM-15	04/10/06	<100	<100	<100	<100	<100	<300	920
ESM-16	04/07/06	<2	<2	3	<2	<2	<5	<2
PZ-01-S	04/10/06	<100	<100	200	<100	<100	<300	6400
PZ-01-D	04/10/06	<10	<10	45	<10	<10	<30	1700 D
PZ-02-S	04/10/06	<100	<100	120	<100	<100	<300	740
PZ-02-D	04/10/06	<20	<20	<20	<20	<20	<50	130
PZ-03-S	04/10/06	<40	<40	260	<40	<40	<100	3900
PZ-03-D	04/10/06	<2	<2	63	<2	<2	<5	92
PZ-04	11/15/06	<2	<2	<2	<2	<2	<5	<2
PZ-05	11/15/06	<2	<2	<2	<2	<2	<5	<2
PZ-06	11/15/06	<2	<2	<2	<2	74	<5	<2
PZ-07	11/15/06	<2	<2	<2	<2	<2	<5	4
Lower of MCP GW-2 and GW-3		2000	200	2000	2000	50000	1000	2

Notes: MCP Method 1 Standards are included for reference purposes only, site specific standards were developing using a Method 3 Risk Assessment
 "J" indicates an estimated value due to a detection below the reporting limit or an estimated concentration for Tentatively Identified Compound.
 NA - Not applicable.
 NS - Not sampled.

TABLE 4
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
BEDROCK SAMPLES
VOLATILES
(Section 1)
Lewis Chemical
(All results in ug/l)

Sample ID	Depth	Date	Toluene	Tetrachloroethene	Ethylbenzene	Xylene (Total)	1,2,4-Trimethylbenzene	1,2-Dichlorobenzene
ESM-03B	21-30	03/23/06	180	8700	41	<40	60	240
ESM-03B	30-40	03/23/06	170	6600	43	<40	<40	160
ESM-03B	40-50	03/24/06	1200	9200	<400	<400	<400	<400
ESM-03B	50-60	03/30/06	2000	13000	<1000	<1000	<1000	<1000
ESM-03B	60-70	03/23/06	6600	20000	<1000	<1000	<1000	<1000
ESM-05B	20-30	03/27/06	1500	23000	<400	<400	<400	2000
ESM-05B	30-40	03/28/06	910	12000	<400	420	<400	960
ESM-05B	40-50	03/28/06	310	3200	<200	<200	<200	420
ESM-05B	50-60	03/28/06	610	5200	<200	<200	<200	<200
ESM-05B	60-70	03/29/06	650	3100	<40	<40	<40	41
ESM-08B	40-50	03/31/06	24	250	2	<2	<2	6
Lower of MCP GW-2 and GW-3			4000	50	4000	500	NA	2000

Notes: MCP Method 1 Standards are included for reference purposes only, Site specific standards were developing using a Method 3 Risk Assessment
NA - Not applicable.

TABLE 4
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
BEDROCK SAMPLES

VOLATILES
(Section 2)

Lewis Chemical

(All results in mg/kg)

Sample ID	Depth	Date	1,1-Dichloroethene	Methylene Chloride	1,1-Dichloroethane	Cis-1,2-Dichloroethene	1,1,1-Trichloroethane	1,2-Dichloroethane	Trichloroethene
ESM-03B	21-30	03/23/06	160	<100	<40	370	2500	<40	4200
ESM-03B	30-40	03/23/06	660	870	55	73	4100	210	12000
ESM-03B	40-50	03/24/06	2500	10000	<400	<400	19000	1500	50000
ESM-03B	50-60	03/30/06	3500	12000	<1000	<1000	24000	1700	58000
ESM-03B	60-70	03/23/06	4900	29000	1000	<1000	49000	3900	100000
ESM-05B	20-30	03/27/06	2900	2000	<400	460	38000	<400	54000
ESM-05B	30-40	03/28/06	1700	3800	<400	<400	29000	<400	31000
ESM-05B	40-50	03/28/06	590	4100	<200	<200	9000	510	14000
ESM-05B	50-60	03/28/06	440	2500	<200	<200	9200	300	11000
ESM-05B	60-70	03/29/06	220	1000	<40	<40	6800	120	7100
ESM-08B	40-50	03/31/06	2	<5	<2	<2	40	<2	350
Lower of MCP GW-2 and GW-3			80	NA	1000	100	4000	5	30

Notes: MCP Method 1 Standards are included for reference purposes only, Site specific standards were developing using a Method 3 Risk Assessment
 NA - Not applicable.

**TABLE 5.1
SUMMARY OF
SEDIMENT ANALYTICAL RESULTS
METALS**

Lewis Chemical

(All results in mg/kg)

Sample ID	Date	Lead	Mercury	Silver
S-03	05/30/06	410	0.12	3.0
S-04	05/30/06	31	< 0.02	0.9
S-06	05/30/06	6.1	< 0.06	< 0.7
S-09	05/30/06	89	0.09	< 0.5

Notes: NA - not applicable.

TABLE 5.2
SUMMARY OF
SEDIMENT ANALYTICAL RESULTS
PAH
(section 1)
Lewis Chemical

(All results in mg/kg)

Sample	Date	Acenaphthene	2-methylnaphthalene	Naphthalene	Phenanthrene	Benzo(g,h,i) perylene	Benzo(k) fluoranthene	Chrysene
S-03	05/30/06	< 2	< 2	< 2	2	< 2	< 2	< 2
S-04	05/30/06	< 0.6	< 0.6	< 0.6	< 0.6	< 0.6	< 0.6	< 0.6
S-06	05/30/06	< 2	< 2	< 2	< 2	< 2	< 2	< 2
S-09	05/30/06	< 2	< 2	< 2	2	< 2	< 2	< 2

Notes: NA - Not Applicable
NS - Not Sampled

TABLE 5.2
SUMMARY OF
SEDIMENT ANALYTICAL RESULTS
PAH
(section 2)
Lewis Chemical

(All results in mg/kg)

Sample	Date	Acenaphthylene	Anthracene	Benzo(a) anthracene	Benzo(a) pyrene	Benzo(b) fluoranthene	Dibenzo(a,h) anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Pyrene
S-03	05/30/06	< 2	< 2	< 2	< 2	< 2	< 2	3	< 2	< 2	2
S-04	05/30/06	< 0.6	< 0.6	< 0.6	< 0.6	< 0.6	< 0.6	< 0.6	< 0.6	< 0.6	< 0.6
S-06	05/30/06	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2
S-09	05/30/06	< 2	< 2	< 2	< 2	< 2	< 2	3	< 2	< 2	2

Notes: NA - Not Applicable
NS - Not Sampled

TABLE 5.3
SUMMARY OF
SEDIMENT ANALYTICAL RESULTS
VOLATILES
(section 1)

Lewis Chemical

(All results in mg/kg)

Sample ID	Date	Chloroethane	Trans-1,2-Dichloroethene	1,1-Dichloroethane	Cis-1,2-Dichloroethene	1,1,1-Trichloroethane	Trichloroethene
S-01	05/30/06	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4
S-02	05/30/06	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2
S-03	05/30/06	22	0.6	0.7	< 0.6	< 0.6	< 0.6
S-04	05/30/06	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
S-06	05/30/06	< 0.4	< 0.4	< 0.4	0.8	0.8	1.1
S-08	05/30/06	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3	< 0.3
S-09	05/30/06	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4

Notes: NA - Not Applicable

NS - Not Sampled

3/1/07 DND Lewis Chemical

Table 5.3 Page 1 of 1

Sediment, Volatiles, Section 1

**TABLE 5.3
SUMMARY OF
SEDIMENT ANALYTICAL RESULTS
VOLATILES
(section 2)**

Lewis Chemical

(All results in mg/kg)

Sample ID	Date	Toluene	Tetrachloroethene	Ethylbenzene	Xylenes	4-Isopropyltoluene	1,2-Dichlorobenzene	1,2,4-Trichlorobenzene
S-01	05/30/06	< 0.4	< 0.4	< 0.4	<0.4	< 0.4	< 0.4	< 0.4
S-02	05/30/06	< 0.2	< 0.2	< 0.2	<0.2	< 0.2	< 0.2	< 0.2
S-03	05/30/06	8.1	< 0.6	1.0	2.9	< 0.6	< 0.6	< 0.6
S-04	05/30/06	< 0.1	< 0.1	< 0.1	<0.1	0.2	< 0.1	< 0.1
S-06	05/30/06	< 0.4	3.9	< 0.4	<0.4	< 0.4	6.3	0.4
S-08	05/30/06	< 0.3	< 0.3	< 0.3	<0.3	< 0.3	< 0.3	< 0.3
S-09	05/30/06	< 0.4	< 0.4	< 0.4	<0.4	< 0.4	< 0.4	< 0.4

Notes: NA - Not Applicable

NS - Not Sampled

3/1/07 DND Lewis Chemical

Table 5.3 Page 1 of 1

Sediment, Volatiles, Section 2

TABLE 6
SUMMARY OF SOIL GAS ANALYTICAL RESULTS
VOLATILES
(Section 1)

Lewis Chemical

(All results in ug/m3)

Sample ID	Date	Vinyl Chloride	1,1,1-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2,4-Trimethylbenzene	1,2-Dichloroethane	cis-1,2-Dichloroethene	Ethylbenzene
SG-01	03/29/06	<1000	61600	4820	<1560	2360	<1590	43900	<1710
SG-02	03/29/06	29000	1480000	26100	8040	<7470	<6150	1430000	<6600
SG-03	03/29/06	<4450	294000	<7050	<6910	<8560	<7050	15500	<7560
SG-04	03/29/06	5860	1440000	<7250	8030	<8810	<7250	812000	11900
SG-05	03/29/06	<4220	1590000	22900	14200	<8120	<6690	134000	<7170
SG-06	03/29/06	<4380	1930000	32600	79200	<8430	21500	191000	20400

Notes: NA - Not applicable.

TABLE 6
SUMMARY OF SOIL GAS ANALYTICAL RESULTS
VOLATILES
(Section 2)

Lewis Chemical

(All results in ug/m3)

Sample ID	Date	1,1,2-Trichloro-1,2,2-Trifluoroethane	Methylene chloride	Xylenes (Total)	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene
SG-01	03/29/06	3070	6280	<3410	157000	<1480	1970	50600
SG-02	03/29/06	16200	15600	<13200	1920000	<5730	21200	201000
SG-03	03/29/06	39200	<12100	<15100	1150000	<6560	<6910	360000
SG-04	03/29/06	284000	25900	35200	2360000	80600	<7100	1320000
SG-05	03/29/06	562000	<11500	<14300	1300000	<6230	<6550	1720000
SG-06	03/29/06	886000	23500	121200	1080000	46000	<6800	1730000

Notes: NA - Not applicable.