



Boston Wastewater Epidemiology Report

Updated: 09-Feb-2026 | Data Complete Through: 04-Feb-2026

✉ wastewater@bphc.org



Boston Public
Health Commission



Report Contents

COVID-19 Summary

- Neighborhood Levels and Trends
- COVID-19 Citywide Overview and Trends
- BPHC Trend Overview by Neighborhood

Detailed Results

Results by Neighborhood

- Allston/Brighton
- Back Bay
- Charlestown
- Dorchester
- East Boston
- Hyde Park
- Jamaica Plain
- Mattapan
- Roslindale/West Roxbury
- Roxbury

Influenza & RSV

- Influenza Detections in Wastewater
- Influenza Trends in Wastewater by Neighborhood
- RSV Detections in Wastewater
- RSV Trends in Wastewater by Neighborhood

Additional Information


- COVID-19 Wastewater Level and Trend Category Definitions
- Recommendations and Resources by Level

- Level: Very High
- Level: High
- Level: Moderate
- Level: Low
- Level: Very Low



Neighborhood Levels and Trends

COVID-19 Wastewater Levels & Trends (04-Feb-2026)



COVID-19
Level
(# sites)

10 sites

Very Low Low Moderate High Very High

BOSTON CITYWIDE COVID-19 LEVEL & TRENDS

COVID-19 LEVEL

Very Low

53 copies/mL
samples through 04-Feb-2026

2-WEEK TRENDS



Stable
0 copies/mL (0%)

NEIGHBORHOOD SITES COVID-19 LEVEL & TRENDS


Level	Neighborhood/Site	Trend
Very Low	Mattapan (MT)	↗ Increase
	Dorchester (DOR 2224)	→ Stable
	Roslindale/West Roxbury (RS/WR)	→ Stable
	Roxbury (RX)	↘ Decrease
	Jamaica Plain (JP)	→ Stable
	Back Bay (BB)	→ Stable
	Hyde Park (HP)	→ Stable
	Charlestown (CH)	→ Stable
	Allston/Brighton (A/B)	↓ Large Decrease
	East Boston (EB)	→ Stable

For additional details see:

- [Results by Neighborhood](#)
- [Detailed Neighborhood Levels and Trends Table](#)
- [Trend and Level Category Definitions](#)



COVID-19 Citywide Overview and Trends



Updated: 09-Feb-2026 | Samples through: 04-Feb-2026

CITYWIDE AVERAGE	RANGE ACROSS 10 NEIGHBORHOOD SITES
53 RNA copies/mL	3-72 RNA copies/mL


Data through: 04-Feb-2026



+0%

over the past 14 days

BPHC Trend Overview by Neighborhood



For each neighborhood, colored line and textbox shows the smoothed trend and most recent value in that neighborhood:

The dotted blue line and dark blue text box in each panel shows the trend and most recent value across **all Boston sites** weighted by population.

The vertical red line marks the date of July 1, 2025, when the laboratory that tests Boston's wastewater changed.

To see details and interpretation of these results for an individual neighborhood see [Results by Neighborhood](#).



Results by Neighborhood

- Allston-Brighton (A/B)
- Back Bay (BB)
- Charlestown (CH)
- Dorchester (DOR)
- East Boston (EB)
- Hyde Park (HP)
- Jamaica Plain (JP)
- Mattapan (MT)
- Roslindale/West Roxbury (RS/WR)
- Roxbury (RX)




Allston/Brighton

Level: **Very Low**

- Average value in A/B over the past week: 1 copies/mL.
- This value is **very low** compared to past values and similar than the citywide average (53 copies/mL).

Trend: **↓ Large Decrease**

- Over the past two weeks, values in A/B are decreasing.
- Change compared to two weeks ago: -276 copies/mL (**-100%**).



Updated: 09-Feb-2026 | Samples through: 04-Feb-2026 (A/B);

See [recommended actions and resources](#) based on levels and trends in this neighborhood.




Back Bay

Level: **Very Low**

- Average value in BB over the past week: 24 copies/mL.
- This value is very low compared to past values and similar than the citywide average (53 copies/mL).

Trend: **→ Stable**

- Over the past two weeks, values in BB are stable.
- Change compared to two weeks ago: 0 copies/mL (0%).



Updated: 09-Feb-2026 | Samples through: 04-Feb-2026 (BB);

See [recommended actions and resources](#) based on levels and trends in this neighborhood.




Charlestown

Level: **Very Low**

- Average value in CH over the past week: 6 copies/mL.
- This value is **very low** compared to past values and similar than the citywide average (53 copies/mL).

Trend: **→ Stable**

- Over the past two weeks, values in CH are stable.
- Change compared to two weeks ago: +5 copies/mL (+483%).



Updated: 09-Feb-2026 | Samples through: 01-Feb-2026 (CH);

See [recommended actions and resources](#) based on levels and trends in this neighborhood.




Dorchester

Level: **Very Low**

- Average value in **DOR 2224** over the past week: **61** copies/mL.
- This value is **very low** compared to past values and **similar** than the citywide average (**53** copies/mL).

Trend: **→ Stable**

- Over the past two weeks, values in **DOR 2224** are **stable**.
- Change compared to two weeks ago: **-10** copies/mL (**-14%**).



See [recommended actions and resources](#) based on levels and trends in this neighborhood.




East Boston

Level: **Very Low**

- Average value in EB over the past week: 1 copies/mL.
- This value is **very low** compared to past values and similar than the citywide average (53 copies/mL).

Trend: → Stable

- Over the past two weeks, values in EB are stable.
- Change compared to two weeks ago: -11 copies/mL (-92%).



Updated: 09-Feb-2026 | Samples through: 04-Feb-2026 (EB);

See [recommended actions and resources](#) based on levels and trends in this neighborhood.




Hyde Park

Level: **Very Low**

- Average value in HP over the past week: 24 copies/mL.
- This value is **very low** compared to past values and similar than the citywide average (53 copies/mL).

Trend: → Stable

- Over the past two weeks, values in HP are stable.
- Change compared to two weeks ago: -14 copies/mL (-37%).



Updated: 09-Feb-2026 | Samples through: 04-Feb-2026 (HP);

See [recommended actions and resources](#) based on levels and trends in this neighborhood.




Jamaica Plain

Level: **Very Low**

- Average value in JP over the past week: 46 copies/mL.
- This value is **very low** compared to past values and similar than the citywide average (53 copies/mL).

Trend: **→ Stable**

- Over the past two weeks, values in JP are stable.
- Change compared to two weeks ago: +22 copies/mL (+94%).



See [recommended actions and resources](#) based on levels and trends in this neighborhood.

Mattapan




Level: **Very Low**

- Average value in MT over the past week: 79 copies/mL.
- This value is **very low** compared to past values and similar than the citywide average (53 copies/mL).

Trend: **↗ Increase**

- Over the past two weeks, values in MT are increasing.
- Change compared to two weeks ago: +43 copies/mL (+119%).



Updated: 09-Feb-2026 | Samples through: 04-Feb-2026 (MT);

See [recommended actions and resources](#) based on levels and trends in this neighborhood.




Roslindale/West Roxbury

Level: **Very Low**

- Average value in RS/WR over the past week: 51 copies/mL.
- This value is **very low** compared to past values and similar than the citywide average (53 copies/mL).

Trend: → Stable

- Over the past two weeks, values in RS/WR are stable.
- Change compared to two weeks ago: +27 copies/mL (+113%).



See [recommended actions and resources](#) based on levels and trends in this neighborhood.




Roxbury

Level: **Very Low**

- Average value in RX over the past week: 50 copies/mL.
- This value is **very low** compared to past values and similar than the citywide average (53 copies/mL).

Trend: **Decrease**

- Over the past two weeks, values in RX are decreasing.
- Change compared to two weeks ago: -47 copies/mL (-49%).




Updated: 09-Feb-2026 | Samples through: 04-Feb-2026 (RX);

See [recommended actions and resources](#) based on levels and trends in this neighborhood.




Influenza Detections in Wastewater

Influenza Wastewater Viral Activity Levels & Trends (04-Feb-2026)




This map depicts the viral activity level of influenza at each of the neighborhood sampling locations.





Influenza Trends in Wastewater by Neighborhood

Influenza Trends in Wastewater




For each neighborhood, colored line and textbox shows the smoothed trend and most recent value in that neighborhood;

The dotted blue line in each panel shows the trend and most recent value across all Boston sites weighted by population.



RSV Detections in Wastewater

RSV Wastewater Viral Activity Levels & Trends (04-Feb-2026)




Wastewater Viral Activity Level

0 sites	7 sites	3 sites	0 sites	0 sites
0 sites	7 sites	3 sites	0 sites	0 sites


RSV = Respiratory Syncytial Virus

This map depicts the viral activity level of RSV at each of the neighborhood sampling locations.





RSV Trends in Wastewater by Neighborhood



For each neighborhood, colored line and textbox shows the smoothed trend and most recent value in that neighborhood;

The dotted blue line in each panel shows the trend and most recent value across all Boston sites weighted by population.



COVID-19 Wastewater Level and Trend Category Definitions

Concentration Levels

Concentration Level	Concentration Value (Copies/mL)
Very High	>320
High	240-320
Moderate	160-240
Low	80-160
Very Low	≤80

2-Week Trend Categories

Trend Category	Trend Value (Copies/mL)
↑ Large Increase	>+175
↗ Increase	+50 to +175
→ Stable	-50 to +50
↘ Decrease	-175 to -50
↓ Large Decrease	≤-175

Level: Very High



Wastewater viral levels in your neighborhood indicate **very high risk** of COVID-19 infection.

Based on this level, BPHC urgently recommends the following practices to prevent COVID-19 in your community:

- Wear a [high-quality mask or respirator](#)
- If you are at [high risk of getting very sick](#), consider limiting non-essential indoor activities in large groups or in public where you could be exposed.
- If you have close contact with someone at [high risk of getting very sick](#), consider self-testing to detect infection before contact, and consider wearing a high-quality mask when indoors with them
- Stay up-to-date on [vaccinations](#).
- Seek testing and possible treatment if you get sick
- [Stay home when you are sick](#) and avoid contact with others who are sick
- Regularly clean and disinfect frequently touched surfaces
- Wash your hands often with soap and water for at least 20 seconds and cover coughs and sneezes
- NA

RESOURCES

- Find a [vaccination clinic](#) in your neighborhood
- Call or visit the [Mayor's Health Line](#)
- [Learn more](#) about respiratory illnesses like [COVID-19](#), [the flu](#), and [RSV](#)

Level: **High**



Wastewater viral levels in your neighborhood indicate **high risk** of COVID-19 infection.

Based on this level, BPHC strongly recommends the following practices to prevent COVID-19 in your community:

- Wear a [high-quality mask or respirator](#)
- If you have close contact with someone at [high risk of getting very sick](#), consider self-testing to detect infection before contact, and consider wearing a high-quality mask when indoors with them
- Stay up-to-date on [vaccinations](#).
- Seek testing and possible treatment if you get sick
- [Stay home when you are sick](#) and avoid contact with others who are sick
- Regularly clean and disinfect frequently touched surfaces
- Wash your hands often with soap and water for at least 20 seconds and cover coughs and sneezes
- NA

RESOURCES

- Find a [vaccination clinic](#) in your neighborhood
- Call or visit the [Mayor's Health Line](#)
- [Learn more](#) about respiratory illnesses like [COVID-19](#), [the flu](#), and [RSV](#)



Level: Moderate

Wastewater viral levels in your neighborhood indicate **moderate risk** of COVID-19 infection.

Based on this level, BPHC recommends the following practices to prevent COVID-19 in your community:

- If you are at high risk of getting very sick, wear a high-quality mask or respirator in public indoor spaces
- If you have close contact with someone at high risk of getting very sick, consider self-testing to detect infection before contact, and consider wearing a high-quality mask when indoors with them
- Stay up-to-date on vaccinations.
- Seek testing and possible treatment if you get sick
- Stay home when you are sick and avoid contact with others who are sick
- Regularly clean and disinfect frequently touched surfaces
- Wash your hands often with soap and water for at least 20 seconds and cover coughs and sneezes
- NA

RESOURCES

- Find a vaccination clinic in your neighborhood
- Call or visit the Mayor's Health Line
- Learn more about respiratory illnesses like COVID-19, the flu, and RSV



Wastewater viral levels in your neighborhood indicate **low risk** of COVID-19 infection.

Based on this level, BPHC recommends the following practices to prevent COVID-19 in your community:

- Continue to monitor wastewater levels and trends
- Stay up-to-date on [vaccinations](#).
- Seek testing and possible treatment if you get sick
- [Stay home when you are sick](#) and avoid contact with others who are sick
- Regularly clean and disinfect frequently touched surfaces
- Wash your hands often with soap and water for at least 20 seconds and cover coughs and sneezes
- NA

RESOURCES

- Find a [vaccination clinic](#) in your neighborhood
- Call or visit the [Mayor's Health Line](#)
- [Learn more](#) about respiratory illnesses like [COVID-19](#), [the flu](#), and [RSV](#)



Level: Very Low

Wastewater viral levels in your neighborhood indicate **very low risk** of COVID-19 infection.

Based on this level, BPHC recommends the following practices to prevent COVID-19 in your community:

- Continue to monitor wastewater levels and trends
- Stay up-to-date on [vaccinations](#).
- Seek testing and possible treatment if you get sick
- [Stay home when you are sick](#) and avoid contact with others who are sick
- Regularly clean and disinfect frequently touched surfaces
- Wash your hands often with soap and water for at least 20 seconds and cover coughs and sneezes
- NA

RESOURCES

- Find a [vaccination clinic](#) in your neighborhood
- Call or visit the [Mayor's Health Line](#)
- [Learn more](#) about respiratory illnesses like [COVID-19](#), [the flu](#), and [RSV](#)